


APPLICATION			REVISIONS						
QTY	MODEL USED ON	ASS'Y NO.	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
1	TPM-1K	BMA 460	Ø	ORIG RELEASE FOR PROD	11/30/71		W		

ON CI115, WIND 15 TURNS EVENLY SPACED AROUND 330° OF THE CORE AS SHOWN.

STAKE ENDS WITH GL103 & BAKE AT 180°F FOR 30 MIN.

COAT WITH GL102 & BAKE AT 180°F FOR 30 MIN.

LEADS 1 1/2" LONG



35µh ± 5%

Q < 10

TEST FREQ 2.5 MHz.

REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
	4	GL103	ADHESIVE, NITRO-CELLULOSE BASE	
	3	GL102	LACQUER, Q MAX, A-27	
	2	WI141-26-2	WIRE, ELEC, MAG	
	1	CI115	CORE, TOROID	

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS	FRACTIONS
.X ± .05	1/64
.XX ± .01	TOLS. ANGLES
.XXX ± .005	0° - 30'

MATERIAL

FINISH

FINAL APPROVAL	DATE
<i>[Signature]</i>	23 Nov 71
MECH. DES.	DATE
ELECT. DES.	DATE
<i>[Signature]</i>	23 Nov 71
CHECKED	DATE
DRAWN	DATE
<i>[Signature]</i>	25 Oct 71

LIST OF MATERIAL

THE TECHNICAL MATERIEL CORP.
MAMARONECK, NEW YORK

COIL, RF, TOROID

NOTICE TO PERSONS RECEIVING THIS DRAWING
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

SIZE	CODE IDENT. NO.	DWG NO.	ISSUE
A	82679	CL473	Ø
SCALE	SHEET		OF