


MS-2629 D	TMC PT. NO.	A ±.002	B ±.002	C +.002	D ±.002	E ±.002	F +.002	G +.002	H ±.002	J ±.003	FIRST USED
	MS-2629-1	.770	.520	.625	2.700	.215	1.110	.875	.468	.218 DIA.	AS-120 PI- SEC
	MS-2629-2	.750	.660	.725	2.500	.215	1.000	.875	.468	.218 DIA.	AS-120 -L" SEC
	MS-2629-3	.812	.796	.890	2.750	.215	1.250	.875	.562	.234 DIA	AS-123
	MS-2629-4	.750	.660	.725	2.500	.215	1.015	.875	.468	.234 DIA	AS-124

STANDARD DRAWING



NOTE - ALL DIMENSIONS APPLY AFTER PLATING.

FINISHING NOTE —
 S-245 - SILVER PLATE, BRIGHT
 S-423 - IRIDITE, 18-P SILVER KOTE

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
D	MS-2629-3 & 4 ADDED	7-16-63	9555			
C	ON MS-2629-2 (H) WAS 4.68	2-23-62	6433	H.L.		
B	ON MS-2629-2 (C) WAS 750	12-28-61	6107	H.L.		
A	MS-2629-2 Added; Chart Revised	12-12-61	6031	H.L.		

Property of
 THE TECHNICAL MATERIEL CORPORATION
 MAMARONECK, NEW YORK

UNLESS OTHERWISE SPECIFIED:
 DIMENSIONS ARE IN INCHES
 TOLERANCES ON
 FRACTIONS ± 1/64 DECIMALS ± .005 ANGLES ± 1/2°

SCALE: — DO NOT SCALE —
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.
 REMOVE ALL BURRS AND SHARP EDGES

64	GPT-40K	AX-267			
REQ. PER UNIT	MODEL	SECTION	ASS'Y. NO.	DATE	USED ON

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	.020 THICK	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
	STOCK SIZE		
	COPPER	CONTACT, BANDSWITCH	
	MATERIAL		
	SOFT		
	TYPE & TEMPER	HEAT TREAT. SPEC.	
	SEE NOTE		
	FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.

John C. Biele W.A.F. L.B./E
 DRAWN CHECKER FINAL APPROVAL
 MS-2629 D