



ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø		PROD. RELEASE	FEB 2/71		JDR			1	1	A10962-3	PC. BD	
A		REVISE PER CEMN	FEB 24/71	917	OFF.	NAT.		43	2	TE-127-2	STUD, TERMINAL	
B		REV PER CEMN	APR 20/71	951	AR							



NOTE: FOR TERMINAL STUD POSITIONS SEE DWG A10900-5.


SME-5	107/71	A10900-5	14 JAN '71			TMC (Canada) LIMITED OTTAWA ONTARIO	
MODEL	PROJECT NO.	ASSY. NO.	DATE	STOCK SIZE		MIXER DOUBLER - SUB, ASSY -	
USED ON				MATERIAL	WEIGHT PER PC.	J. PESCORLA	
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES		IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		TYPE & TEMPER		DRAWN	
TOLERANCES		SCALE		HEAT TREAT SPEC.		ELEC. DES. APP.	
ALL	DEC. DIM. ± .X = .05	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		FINISH & SPEC. NO.		MECH. DES. APP.	
OTHERS	FRAC. DIM. ± 1/64 .XX = .01	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		CHECKED		FINAL APPROVAL	
	ANGULAR DIM. ± 0° 30' .XXX = .005					SHT 4 of 5 A10900-4 B	

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø		PROD. RELEASE	7 SEPT 73		LTS		<i>[Signature]</i>	1	1	A 10909-3	PRINTED CIRC ASS'Y (LETT.)	
								3	2	TE127-3	TERM STUD	




MODEL		PROJECT NO.		ASS'Y. NO.		DATE		STOCK SIZE		TMC (Canada) LIMITED OTTAWA ONTARIO PRINTED CIRCUIT (SUB ASS'Y) FILTER			
113/70		A10909-5		17 JULY 1970									
USED ON				MATERIAL		WEIGHT PER PC.		TYPE & TEMPER		LTS			
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.				HEAT TREAT. SPEC.		DRAWN		ELEC. DES. APP.	MECH. DES. APP.
TOLERANCES				SCALE 1:1				FINISH & SPEC. NO.		CHECKED		FINAL APPROVAL	
ALL OTHERS		DEC. DIM. ± .X = .05		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED									
		FRAC. DIM. ± 1/64 .XX = .01		DRILL: PUNCH. COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.									
		ANGULAR DIM. ± 0° 30' .XXX = .005											
										Sht 4 of 5		A10909-4	Ø

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
C		SEE SHT 5	4-18-77	21534		W.B.	*	1	1	A10914-3	PC. BOARD, TRANSMIT I.F. (LETTERING)	
								14	2	TE127-2	STUD, TERMINAL	




SME-5		107/70		A10914-5		16 Nov '70				TMC (Canada) LIMITED OTTAWA ONTARIO			
MODEL	PROJECT NO.	ASS'Y. NO.	DATE	STOCK SIZE									
USED ON				MATERIAL		WEIGHT PER PC.		PC. BOARD TRANSMIT I.F.		(SUB ASS'Y)			
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.				TYPE & TEMPER		J. RESCORLA		NA	
								DRAWN		ELEC. DES. APP.	MECH. DES. APP.		
TOLERANCES				SCALE 1:1		HEAT TREAT. SPEC.		PROCTOR		FINAL APPROVAL			
ALL OTHERS		DEC. DIM. ±		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED				CHECKED		SHEET 4 OF 5			
		FRAC. DIM. ±		DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.						A10914-4			
		ANGULAR DIM. ±								C			
				FINISH & SPEC. NO.									

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø		RELEASE TO PROD.	20 Nov 70		J.R.	[Signature]	[Signature]	1	1	A 10746-3	PC. BD. (LETT) REGULATOR	
								6	2	TE 10022-2	SOLDER TERMINAL	




INSTALL (ITEM 2)
AS SHOWN
(DIRECTION OF SLOT)



(DIRECTION OF SLOT)

VMC 8		084/70		14 OCT 70		TMC (Canada) LIMITED		OTTAWA ONTARIO							
MODEL		PROJECT NO.		ASS'Y. NO.		DATE		STOCK SIZE							
USED ON						MATERIAL		WEIGHT PER PC.							
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.				SUB ASSEMBLY PRINTED							
TOLERANCES				SCALE N.T.S.				CIRCUIT BD. REGULATOR							
ALL OTHERS		DEC. DIM. ±		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		TYPE & TEMPER		PROCTOR		DRAWN		ELEC. DES. APP.		MECH. DES. APP.	
		FRAC. DIM. ±		DRILL. PUNCH. COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		HEAT TREAT. SPEC.		[Signature]		[Signature]		[Signature]		[Signature]	
		ANGULAR DIM. ±				FINISH & SPEC. NO.		CHECKED		FINAL APPROVAL		SHEET 4 OF 5		A10922-4 Ø	

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENS. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X		ENG RELEASE	10 DEC 70		JR	[Signature]		1	1	A10942-3	PC. BD.	
X ₁		SEE SHT. 1	JAN 4/70		J.P.	[Signature]		6	2	TE127-2	STUD, TERMINAL	



DATE 12/5/71

A10942	X ₁
PART NO.	REV.

THIS DRAWING HAS BEEN YELLOW FLAGGED,
CHANGES PROPOSED.

AFFECTS MANUFACTURE *A. Proden*

DOES NOT AFFECT MANUFACTURE

For Material Control use only


STOP PROCUREMENT

CONTINUE PROCUREMENT

FINISH & SPEC. NO. SHT 4 of 5 A10942-4 X₁

MODEL	PROJECT NO.	ASS'Y. NO.	DATE
	120-1170	A10942-5	10 DEC 70
USED ON			
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES		IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.	
TOLERANCES		SCALE	
ALL OTHERS	DEC. DIM. ± .X = .05	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	
	FRAC. DIM. ± 1/64 .XX = .01	DRILL, PUNCH, COMMERCIAL STOCK	
	ANGULAR DIM. ± 0° 30' .XXX = .005	SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.	

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X		ENG. RELEASE						1	1	A 10944 -3	PC. BD.	
C		SEE SHEET 5	30 NOV 72	1204	C.C.		SDW	2	2	TE-127-2	STUD, TERMINAL	




NOTE: FOR TERMINAL STUD POSITIONS SEE DWG A 10944 -5.

CANCELLED
REPLACED BY
A11095
OCT 1, 1973
PMM


MM X(1)3		A 10944-5		30 NOV 72		TMC (Canada) LIMITED OTTAWA ONTARIO STANDARD FREQ GEN. - SUB, ASSY -		
MODEL	PROJECT NO.	ASS'Y. NO.	DATE	STOCK SIZE				
USED ON				MATERIAL	WEIGHT PER PC.	C. CHARLES S. WITTEN		
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES		IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		TYPE & TEMPER		DRAWN	ELEC. DES. APP.	MECH. DES. APP.
TOLERANCES		SCALE		HEAT TREAT. SPEC.		CHECKED		FINAL APPROVAL
ALL OTHERS	DEC. DIM. $\pm 1/84$.X = .05	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED	FINISH & SPEC. NO.		SHT 4 of 5		A 10944-4 C
	FRAC. DIM. $\pm 1/84$.XX = .01		DRILL PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.				
	ANGULAR DIM. $\pm 0^{\circ} 30'$.XXX = .005						

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKED	ENGR. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X		ENG RELEASE	10 DEC 70		JDR	<i>[Signature]</i>		1	1	A10946-3	PC. BD.	
X1		SEE SHT 5	12 MAR 71		NAT	<i>[Signature]</i>		7	2	TE127-2	STUD, TERMINAL	



MODEL		PROJECT NO.		ASSY. NO.		DATE		STOCK SIZE		TMC (Canada) LIMITED OTTAWA ONTARIO		
		120-1/70		A10946-5		10 DEC 70				REMOTE CLARIFIER - SUB, ASSY -		
USED ON				MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.				
				TOLERANCES				SCALE				
ALL OTHERS		DEC DIM ±		.X = .05		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		TYPE & TEMPER				
		FRAC DIM ± 1/64		.XX = .01		DRILL: PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		HEAT TREAT SPEC.				
		ANGULAR DIM ± 0° 30'		.XXX = .005				FINISH & SPEC. NO.				
								DRAWN <i>[Signature]</i> CHECKED		ELEC. DES. APP.		MECH. DES. APP.
										FINAL APPROVAL		SHT 4 of 5
												A10946-4 X1


ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø		PROD RELEASE	12 FEB 71		UAT	J.P.	MP.	1	1	A10957-3	PC. BD	
A		REV PER CEMN	16 DEC 71	1108	C.C.	PL	J.P.	14	2	TE 127-2	STUD, TERMINAL	



NOTE: FOR TERMINAL STUD POSITIONS SEE DWG A10957-5.

LPA-1KC		088/70		A10957-5		19 DEC '70				TMC (Canada) LIMITED OTTAWA ONTARIO			
MODEL		PROJECT NO.		ASSY. NO.		DATE		STOCK SIZE		SERVO CONTROL BD.			
USED ON								MATERIAL		WEIGHT PER PC.		- SUB, ASSY -	
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.				IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.				TYPE & TEMPER		J. RESCORLA DRAWN		ELEC. DES. APP. J.P.	MECH. DES. APP.
TOLERANCES				SCALE				HEAT TREAT SPEC.		CHECKED J.P.		FINAL APPROVAL M.P.	
ALL OTHERS		DEC. DIM. 1 .X = .05		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		DRILL PUNCH. COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		FINISH & SPEC. NO.		SHT 4 of 5 A10957-4 A			
		FRAC. DIM. ± 1/64 .XX = .01											
		ANGULAR DIM ± 0° 30' .XXX = .005											

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X		ENG. RELEASE	SEPT 3/71		DR.			1	1	A10959-3	PC. BD, LETTERING	
X-1		SEE A10959-5	NOV. 1/71		PL	OTSP		3	2	TE-127-2	STUD, TERMINAL	




NOTE: FOR TERMINAL STUD POSITIONS SEE DWG A10959-5.

N.B. 1
 CANCELLED -
 REC Central 1124
 Superseded by A11059-5/11
 ISS. X2
 P. Finlayson
 26 Jan 72

MMX(-)-3	110/71	A10959-5	3 SEPT. 71	STOCK SIZE		TMC (Canada) LIMITED OTTAWA ONTARIO	
MODEL	PROJECT NO.	ASSY. NO.	DATE	MATERIAL	WEIGHT PER PC.	PC. BD DIVIDER NO 2 - SUB, ASSY -	
USED ON				TYPE & TEMPER		D. REID	
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES		IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		HEAT TREAT. SPEC.		DRAWN	ELEC DES. APP.
TOLERANCES		SCALE		FINISH & SPEC. NO.		CHECKED	FINAL APPROVAL
ALL OTHERS	DEC DIM ± .05 FRAC DIM ± 1/64 ANGULAR DIM ± 0° 30'	XX = .01 XXX = .005	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED DRILL: PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.			SHT 5 of 6	A10959-4 XI


ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	BLG.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		SEE SHT 5							1	A10967 -3	PC.BD. LETTERING	
									9	2	STUD, TERMINAL	



NOTE: FOR TERMINAL STUD POSITIONS SEE DWG A10967-5.

STR-5		11971		A10967-5		31 May '71		TMC (Canada) LIMITED OTTAWA ONTARIO PC.BD., SQUELCH MOD -SUB, ASSY- J. RESCORLA RGA MECH DES APP				
MODEL	PROJECT NO	ASSY NO	DATE	USED ON		STOCK SIZE	MATERIAL					WEIGHT PER PC
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES				IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY				HEAT TREAT SPEC		MECH DES APP APPROVED		
TOLERANCES				SCALE ~				FINISH & SPEC NO		SHT 4 of 5 A10967-4 A		
ALL OTHERS	DEC DIM	X .05	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		SMALL PUNCH COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED							
	FRACTIONAL DIM	64										
	ANGULAR DIM	0° 30'										


ISSUE	ITEM	CHANGED FROM	DATE	CH NO	DRAFTS	CHECKER	ENG APP	REQ	ITEM	PART NO	DESCRIPTION	SYMBOL
Ø		PROD RELEASE	MAR 9/71		JR	MAF	MAF	1	1	A10968-3	PC.BD. LETTR.	
A		REVISED PER CEMN	MAY 27/71	986	AFP	JR	MAF	5	2	TE127-2	STUD, TERMINAL	
B		REFER TO SHEET 1	DEC 8/71	1106	C.C.	MAF	JR					



NOTE: FOR TERMINAL STUD POSITIONS, SEE DWG A10968-5.

STR-5		123/71		A10968-5		9 MAR '71		_____		TMC (Canada) LIMITED OTTAWA ONTARIO	
MODEL		PROJECT NO		ASSY NO		DATE		STOCK SIZE		P.C.-BD. AGC. MOD. - SUB, ASSY -	
USED ON				MATERIAL		WEIGHT PER PC		TYPE & TEMPER			
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES				IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY				HEAT TREAT SPEC		J. Rescorla DRAWN	
TOLERANCES				SCALE ~				FINISH & SPEC NO		ELEC DES APP	
ALL OTHERS		DEC DIM ± .05		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		_____		CHECKED		MECH DES APP	
		FRAC DIM. + 1/64		DRILL: PUNCH. COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED		_____		_____		FINAL APPROVAL	
		ANGULAR DIM + 0° 30'				_____		_____		SHT 4 of 5	
		XXX = .005								A10968-4 B	


ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
Ø		PROD. RELEASE	NOV 3/71		PL	off. JMY		1	1	A10973-3	PC. BD	
A		SEE SHEET "3"	DEC 28/71	1114	C.C.	Q JMY		12	2	TE127-2	STUD, TERMINAL	



NOTE: FOR TERMINAL STUD POSITIONS SEE DWG A10973-5.

LPA-1KD	088/71	A10973-5	3 NOV. 71			TMC (Canada) LIMITED OTTAWA ONTARIO	
LPA-1KC	088/71	A10973-5	26 APR 71				
MODEL	PROJECT NO.	ASSY. NO.	DATE	STOCK SIZE			
USED ON				MATERIAL	WEIGHT PER PC.	WILLIAMS DRAWN PROCTOR CHECKED	
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES		IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		TYPE & TEMPER		ELEC. DES. APP. MECH. DES. APP.	
TOLERANCES		SCALE ~		HEAT TREAT SPEC.		FINAL APPROVAL	
ALL OTHERS	DEC DIM ± .05	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		FINISH & SPEC. NO.		SHT 4 of 5 A10973-4 A	
	FRAC DIM. ± 1/64	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.					
	ANGULAR DIM ± 0° 30'						

ISSUE	ITEM	CHANGED FROM	DATE	CN NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X		ENG. RELEASE	27 APR 71		NAT	OFF	OFF	1	1	PC10019-3	PC. BD	
								14	2	TE127-2	STUD, TERMINAL	



NOTE: FOR TERMINAL STUD POSITIONS SEE DWG A10974-5.

SME 5		081/71		A10974-5		27 APR 71				TMC (Canada) LIMITED OTTAWA ONTARIO			
MODEL		PROJECT NO.		ASSY. NO.		DATE		STOCK SIZE		PC BD, FILTER - SUB, ASSY -			
USED ON								MATERIAL		WEIGHT PER PC			
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES				IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY				TYPE & TEMPER		THOMAS DRAWN		MECH. DES. APP. OFF	
TOLERANCES				SCALE		HEAT TREAT SPEC.		FINISH & SPEC. NO.		PROCTOR, CHECKED		FINAL APPROVAL	
ALL OTHERS		DEC DIM ± X = .05		FRAC DIM ± 1/84 XX = .01		ANGULAR DIM + 0° 30' XXX = .008		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		DRILL PUNCH COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED		SHT 1 of 2	A10974-4 X

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X		ENG. RELEASE	27 APR 71		NAT	APP	APP.	1	1	PC10019-3	PC. B.D.	
								8	2	TE127-2	STUD, TERMINAL	



CANCELLED 12 JUNE 1972
 CEMN #1184 (REF. CEMN 1175)
 REPLACED BY A11019-4

NOTE: FOR TERMINAL STUD
 POSITIONS SEE DWG A10795-5.

SME 5		A10795-5		27 APR 71		TMC (Canada) LIMITED OTTAWA ONTARIO	
MODEL	PROJECT NO.	ASSY. NO.	DATE	STOCK SIZE		P.C. BOARD, FILTER - SUB, ASSY -	
USED ON			MATERIAL		WEIGHT PER PC		THOMAS
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES			IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		TYPE & TEMPER		DRAWN
TOLERANCES			SCALE		HEAT TREAT SPEC		ELEC. DES. APP.
DEC DIM 1 X = .05			DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		FINISH & SPEC. NO.		MECH. DES. APP.
FRAC. DIM 1 1/64 XX = .01			DRILL: PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		CHECKED		FINAL APPROVAL
ANGULAR DIM +0° 30' XXX = .006					SHT 1 of 2		A10975-4 X

ISSUE	ITEM	CHANGED FROM	DATE	CN NO.	DRAFTS	CHECKER	ENG APP.	REQ	ITEM	PART NO.	DESCRIPTION	SYMBOL
X		ENG. RELEASE	27 APR/71		NAT	OFF	OFF	1	1	PC10019-3	PC. BD.	
								14	2	TE127-2	STUD, TERMINAL	




CANCELLED 12 JUNE 1972
 CEMN # 1184 (REF. CEMN 1175)
 REPLACED BY A 11019-5

NOTE: FOR TERMINAL STUD
 POSITIONS SEE DWG A10976-5.

SME 5		A10976-5		27 APR 71		TMC (Canada) LIMITED OTTAWA ONTARIO		
MODEL	PROJECT NO.	ASSY NO.	DATE	STOCK SIZE		PC BOARD, FILTER - SUB, ASSY -		
USED ON				MATERIAL	WEIGHT PER PC	THOMAS		
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURNS AND SHARP EDGES		IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY		TYPE & TEMPER		DRAWN		
TOLERANCES		SCALE		HEAT TREAT SPEC		ELEC DES APP		
ALL	DEC DIM 1	.X = .05	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		CHECKED		MECH DES APP	
OTHERS	FRAC DIM $\pm \frac{1}{64}$	XX = .01	DRILL PUNCH COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED		FINAL APPROVAL		PROCTOR	
	ANGULAR DIM $\pm 0^\circ 30'$	XXX = .005			FINISH & SPEC. NO.		SHT 1 of 2	
						A10976-4 X		

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X		ENG. RELEASE	27 APR 71		NAT	HP	HP	1	1	PC10019-3	PC. BD. LETT.	
								6	2	TE127-2	STUD, TERMINAL	




CANCELLED 12 JUNE 1972
 CEMN #1184 (REF. CEMN 1175)
 REPLACED BY A11019-6

NOTE: FOR TERMINAL STUD
 POSITIONS SEE DWG A10977-5.

SME 5		A10977-5		27 APR 71		TMC (Canada) LIMITED OTTAWA ONTARIO	
MODEL	PROJECT NO.	ASSY. NO.	DATE	STOCK SIZE		PC. BOARD, FILTER - SUB, ASSY -	
USED ON				MATERIAL	WEIGHT PER PC	THOMAS	
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES				IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.			
				TYPE & TEMPER			
TOLERANCES				SCALE			
DEC DIM ± X = .05				DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED			
FRAC DIM ± 1/64 XX = .01				DRILL: PUNCH COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.			
ANGULAR DIM ± 0° 30' XXX = .005				HEAT TREAT SPEC			
ALL OTHERS				FINISH & SPEC. NO.			
CHECKED						FINAL APPROVAL	
SHT 1 of 2						A10977-4 X	

ISSUE	ITEM	CHANGED FROM	DATE	CN NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
		SEE SHT 5 of 5						1	1	A10992-3	PC.BD., LETTR.	
	X3	See SHT 5 of 5						3	2	TE127-2	STUD, TERMINAL	
	Ø	SHTS 1 THRU 5	4-14-77			W.J.B.	#					



NOTE: FOR TERMINAL STUD POSITIONS SEE DWG A10992-5.

SME-5		125/71		A10992-5		9 JUNE '71		—		TMC (Canada) LIMITED OTTAWA ONTARIO			
MODEL	PROJECT NO.	ASSY NO.	DATE	STOCK SIZE		—		—					
USED ON				MATERIAL		WEIGHT PER PC		PC.BD., METER - SUB, ASSY -					
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES				IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.				TYPE & TEMPER		J. RESCORLA		ELEC DES APP	MECH DES APP
								HEAT TREAT SPEC		DRAWN		CHECKED	
TOLERANCES				SCALE				FINISH & SPEC. NO.		SHT 4 of 5			
ALL OTHERS		DEC DIM ± .05		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED		DRILL PUNCH COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		A10992-4		Ø			
		FRAC DIM ± 1/64		XX = .01									
		ANGULAR DIM ± 0° 30'		XXX = .005									