


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
A		REV PER CEMN	7 Mar 73	1210	JMM	YFL	



ADD LATEST REVISION LETTER

ADD DASH NO.

REQ.	ITEM	PART NO.	DESCRIPTION	USED ON	SYMBOL
		A11076-1	P.C.B. ETCHING	A11076-2	
		A11076-2	P.C.B. MACHINING	A11076-3	
		A11076-3	P.C.B. LETTERING	A11076-4	
1	1	A11076-4	P.C.B. SUB-ASSEMBLY		
	2				
	3				
1	4	CE10014-4.7-35	CAP. SOLID TANT.		C1
1	5	CC100-14	CAP. FXD. CERAMIC		C2
1	6	CC10026-10	CAP. FXD CERAMIC		C3
1	7	CE105-220-25	CAP. ELEC.		C4
	8				
	9				
1	10	RC07GF472J	RES FXD COMP.		R1
1	11	RC07GF102J	RES FXD COMP.		R2
1	12	RC07GF222J	RES FXD COMP.		R3
1	13	RC07GF100J	RES FXD COMP.		R4
	14				
	15				
1	16	1N914B	DIODE		CR1
	17				
2	18	2N2219A	TRANSISTOR		Q1, Q2
	19				
1	20	TE127-2	STUD, TERMINAL		E1
	21				
1	22	U6A900259X	INTEGRATED CIRCUIT		A1
1	23	UGH7812393	INTEGRATED CIRCUIT		A2
A/R	24	WL100-6	WIRE, BUS BAR		
	25	CK10881	SCHEMATIC DIAGRAM		REF

A11076-5 A

TOLERANCES		SCALE: 2:1
ALL OTHERS	DEC. DIM. ± .X = .05	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.
	FRAC. DIM. ± 1/64 .XX = .01	
	ANGULAR DIM. ± 0° 30' .XXX = .005	

MMX()3	110/71	A11095	7 MAR 73
MODEL	PROJECT NO.	ASS'Y. NO.	DATE
USED ON			

STOCK SIZE		TMC (Canada) LIMITED OTTAWA ONTARIO	
MATERIAL			
WEIGHT PER PC.		P.C.B. ASSEMBLY	
TYPE & TEMPER.		OUT-OF-LOCK P.C.B.	
DRAWN	Y.F. LEE	ELEC. DES. APP.	S. WITTEN
CHECKED	Y.F. LEE	MECH. DES. APP.	S. WITTEN
HEAT TREAT. SPEC.		FINAL APPROVAL	
FINISH & SPEC. NO.		SHEET 5 OF 5 A11076-5 A	