


A-1333

TMC NO	STAMPING	ITEM 1	ITEM 2	RESONANCE	TOL.
A-1333-1	L1 & L8	CL-106-A6	CM30E502 G	18.750 KC	± 30 CPS
-2	L2 & L6	-A6	CM30E622 G	16.850 KC	± 30 CPS
-3	L4 & L5	-A6	CM30E472 G	19.350 KC	± 30 CPS
-4	L3 & L7	-A7	CM30E502 G	20.400 KC	± 30 CPS

NOTE
OBTAIN RESONANCE ACCORDING
TO TMC SPEC S-206



NOTICE TO PERSONS RECEIVING THIS DRAWING
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
THE TECHNICAL MATERIEL CORPORATION
MAMARONECK, NEW YORK

X	4	BS-100	SOLDER, SOFT	
X	3	PX-104-1-022	INSULATION, SLEEVING	
	2	SEE CHART	CAPACITOR, FIXED	
	1	SEE CHART	COIL, TOROIDAL	
REQ. ITEM	PART NO.		DESCRIPTION	SYMBOL
THE TECHNICAL MATERIEL CORP.				
MAMARONECK, NEW YORK				
STOCK SIZE				
MATERIAL				
L1,2,3,4,5,6,7,8				FX-150
TYPE & TEMPER				
HEAT TREAT. SPEC.				
DRAWN				A.J.J.
CHECKED				A-1333
FINISH & SPEC. NO.				
ELEC. DES. APP.				
MECH. DES. APP.				

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
TOLERANCES			SCALE:				
DEC. DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.				
FRAC. DIM. ±			REMOVE ALL BURRS AND SHARP EDGES				
ANGULAR DIM. ±							

ZEA	FX-150	459	A-1335	8-20-50
REQ. PER UNIT	MODEL	PROJECT NO.	ASS'Y. NO.	DATE
USED ON				