


A-1406 C



Electrical Specification

1.4 mh

Mechanical Specifications

winding - CCW

Turns - 3 1/2

FINISH:

SILVER PLATE .0005

(S-245) After Assembly.

S-423. Iridite

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:

THE TECHNICAL MATERIEL CORPORATION
MAMARONECK, NEW YORK

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
X 4	BS-101	SILVER, SOLDER	
2 3	NTH5020BC24	NUT, HEX	
2 2	BB-116	COIL BUSHING,	
1 1	CL-127	COIL, RF (NO DWG)	
.248 ID x 5/16 OD		THE TECHNICAL MATERIEL CORP.	
SEAMLESS COPPER TUBING		MAMARONECK, NEW YORK	
SOFT		COIL, RF ASSEMBLY	
TYPE & TEMPER		(TER-5000)	
HEAT TREAT. SPEC.		DRAWN	CHECKED
SEE FINISH NOTE		FINAL APPROVAL	
FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.

ISSUE ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
C 1	*ADDED TO 1, 3 (2 PL) *NOTE ADDED	9/6/64	11580	A.M.	@	
B 1	Finish Added	6/9/59		JCB	JCB	
A 1	ITEM 2 (BB-116) REPLACES A-1402	1/15/58	1	16		

TOLERANCES		SCALE: $\frac{1}{8}$
DEC. DIM. \pm		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES
FRAC. DIM. \pm $\frac{1}{64}$		
ANGULAR DIM. \pm		

2	TER-5000	A-1431(8)	3-25-57
REQ. PER UNIT	MODEL	PROJECT NO.	ASS'Y. NO.
USED ON			

A-1406 C