



TRANSISTOR MOUNTING





INSERT THRU HOLES



TYP MTG FOR R6 AND R14


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	X3	REVISED & REDRAWN	11/11/68			
	X4	UPDATED	7/7/69	X4	KH	Joa
	Ø	ORIG RELEASE FOR PROD	7/13/69		CV	



METAL HEATSINK SITS FLUSH ON PC BOARD

ASSEMBLY NOTES

1. TO MOUNT COMPONENTS INSERT LEAD THROUGH PLATED THRU-HOLES.
2. CAUTION: WHEN APPLYING HEAT AND SOLDER TO LEAD AND FOIL.
3. CLEAN AND INSPECT AS PER TMC SPEC S676.
4. FOR ELECTRICAL COMPONENT PART NUMBERS REFER TO NPL A4601.
5. USE SYMBOL NUMBERS FOR ASSEMBLY REFERENCE.



MOUNTING FOR Z1 & Z2 POSITION TAB AS SHOWN

REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
X	2	BS100	SOLDER, TIN ALLOY	
1	1	PC378	PRINTED CIRCUIT BOARD	

S. DE MARCO LIST OF MATERIAL			
FINAL APPROVAL		DATE	
<i>S. De Marco</i>		7/15/69	
MECH. DES.		DATE	
<i>R. H. 300</i>		7-14-69	
ELECT. DES.		DATE	
CHECKED		DATE	
<i>[Signature]</i>		7-7-69	
DRAWN		DATE	
<i>[Signature]</i>		4/9/69	
SIZE	CODE IDENT. NO.	DWG NO.	ISSUE
B	82679	A 4601	Ø
SCALE	SHEET		OF

QTY / UNIT	MODEL USED ON	ASS'Y NO.
1	RTTD-4, 5, 5A	A4601
1	RTPH-3, 4	A4601

APPLICATION	
CODE	S401-451

NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.