


REVISIONS					DATE	APPROVED
E.M.N.NO	DRAFT	CHKD	ZONE	LTR	DESCRIPTION	
	L.H.			X	EXP. RELEASE	3/24/69
	L.H.			0	ORIGINAL RELEASE FOR PRODUCTION	8/20/69 MAB
19637	L.H.			A	REV. TO ARTWORK	11/7/69



- ASSEMBLY NOTES:**
1. TO MOUNT COMPONENTS, INSERT LEADS THROUGH PLATED THRU-HOLES.
 2. CAUTION WHEN APPLYING HEAT AND SOLDER TO LEAD AND FOIL.
 3. CLEAN AND INSPECT AS PER SPEC. S 676.
 4. FOR ELECTRICAL COMPONENT PART NUMBERS REFER TO NPL A 4661.
 5. USE SYMBOL NUMBERS FOR ASSEMBLY REFERENCE.

63 F195-18 64 F195-19

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X	2	BS 100	SOLDER, TIN ALLOY	
1	1	PC 422	PRINTED CIRCUIT BOARD	

LIST OF MATERIAL			
FINAL APPROVAL	DATE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
MECH. DES.	DATE	ASSY. PRINTED CIRCUIT BD. GATE GENERATOR	
ELECT. DES.	DATE	SIZE	CODE IDENT NO. DWG NO.
CHECKED	DATE	D	82679 A 4661
DRAWN	DATE	SCALE 2:1	SHEET OF

QTY / UNIT	MODEL USED ON	ASSY NO.
1	GPR - 10	AX 5003
	HERR - 4	

APPLICATION

CODE

NOTICE TO PERSONS RECEIVING THIS DRAWING
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON

DECIMALS	FRACTIONS
X ± .05	± 1/64
XX ± .01	ANGLES
.XXX ± .005	± 0° - 30'

MATERIAL

FINISH