



REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	X	EXP RELEASE	4/21/69			
	X1	COMP. REV.	8/28/69		MHS.	MHS
	Ø	ORIGINAL RELEASE	3/2/69	Ø	JAG	JAG

SOLDER LEAD FLUSH TO LAND



TOP VIEW



BOTTOM VIEW

OBSOLETE
2 DRAWINGS
EXIST WITH
SAME NUMBER

ASSEMBLY NOTES:

1. TO MOUNT COMPONENTS, INSERT LEADS THROUGH PLATED THRU - HOLES.
2. CAUTION, WHEN APPLYING HEAT AND SOLDER TO LEAD AND FOIL.
3. CLEAN AND INSPECT AS PER SPEC. S 676.
4. FOR ELECTRICAL COMPONENT PART NUMBERS REFER TO NPL A 4677.
5. USE SYMBOL NUMBERS FOR ASSEMBLY REFERENCE.

REDRAWN SEE REV A 2-27-70

REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
X	2	BS 100	SOLDER, TIN ALLOY	
1	1	PC 483	PRINTED CIRCUIT BOARD	

LIST OF MATERIAL				
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
ASSY. PRINTED CIRCUIT BD. RF TUNER OSCILLATOR				
SIZE	CODE IDENT. NO.	DWG NO.	ISSUE	
B	82679	A 4677	Ø	
SCALE 2:1			SHEET OF	

1	HFRR-4	AO-128
QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION		
CODE		

NOTICE TO PERSONS RECEIVING THIS DRAWING
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		FINAL APPROVAL <i>[Signature]</i>	DATE 9/2/69
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS 1/64 ANGLES 0° - 30'	ELECT. DES. <i>[Signature]</i>	DATE 9/2/69
MATERIAL		CHECKED <i>[Signature]</i>	DATE 8/28/69
FINISH		DRAWN <i>[Signature]</i>	