


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
X		EXP. RELEASE	2/24/69		LH	
Ø		ORIGINAL RELEASE FOR PRODUCTION	8/7/69		LH	WB
A		REVISED TO ARTWORK	10/25/69	19635	LH	WB
B		ADD. + TO C146 & C149	11/13/70	20113	RF	WJ



ASSEMBLY NOTES:

1. TO MOUNT COMPONENTS, INSERT LEADS THROUGH PLATED THRU-HOLES.
2. CAUTION, WHEN APPLYING HEAT AND SOLDER TO LEAD AND FOIL.
3. CLEAN AND INSPECT AS PER SPEC. S 676.
4. FOR ELECTRICAL COMPONENT PART NUMBERS REFER TO NPL A 4690
5. USE SYMBOL NUMBERS FOR ASSEMBLY REFERENCE.

QTY.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X	3		BS 100	SOLDER, TIN ALLOY	
X	2		CA 1465-1	CABLE, COAXIAL, MIN.	
1	1		PC 448	PRINTED CIRCUIT BOARD	

63 Fig 5-80
64 Fig 5-77

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		FINAL APPROVAL		DATE		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
MECH. DES.	DATE	<i>[Signature]</i>	DATE	8/12/69	ASSY. PRINTED CIRCUIT BD. 100 KC SPEC. GEN.		
ELECT. DES.	DATE						
CHECKED	DATE						
DRAWN		DATE					
<i>[Signature]</i>		2/24/69					
MATERIAL		SIZE		CODE IDENT. NO.		DWG. NO.	
FINISH		D		82679		A 4690	
		SCALE		2 : 1		SHEET OF	
						B	

1	HFSR - 4	AX 5021
QTY / UNIT	MODEL USED ON	ASSY NO.
APPLICATION		
CODE		
NOTICE TO PERSONS RECEIVING THIS DRAWING		
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		