


REVISIONS							
E.M.N.NO	DRAFT	CHKD	ZONE	LTR	DESCRIPTION	DATE	APPROVED
	0			Ø	ORIGINAL RELEASE FOR PRODUCTION	12/22	



BLISS WIRE

NOTE
SOLDER BLISS WIRE TO BOARD
FRONT & REAR (51 PLACES)
BEFORE MOUNTING COMPONENTS

ASSEMBLY NOTES

1. TO MOUNT COMPONENTS, INSERT LEADS THRU PLATED THRU-HOLES.
2. CAUTION WHEN APPLYING HEAT AND SOLDER TO LEAD AND FOIL.
3. CLEAN AND INSPECT AS PER TMC SPEC S676
4. FOR ELECTRICAL COMPONENT PART NUMBERS REFER TO NPL A-4895
5. USE SYMBOL NUMBERS FOR ASSEMBLY REFERENCE.

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X 3	BS 100		SOLDER TIN ALLOY	
X 2	WL 100-7		WIRE BLISS	
1	PC 613		PRINTED CIRCUIT BOARD	

LIST OF MATERIAL						
FINAL APPROVAL		DATE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK ASSY. PRINTED CIRCUIT BOARD			
MECH. DES.		DATE				
ELECT. DES.		DATE				
CHECKED		DATE				
DRAWN		DATE	SIZE	CODE IDENT NO.	DWG NO.	ISSUE
			C	82679	A 4895	Ø
SCALE 2:1			SHEET OF			

QTY / UNIT	MODEL USED ON	ASS'Y NO.
	RDCR-1YA	
APPLICATION		
CODE		
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		

A 4895