


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD



DO NOT USE FOR SPARES ONLY

R. Uz20 3-31-76

**ASSEMBLY NOTES**

1. TO MOUNT COMPONENTS INSERT LEADS THROUGH HOLES.
2. CAUTION, WHEN APPLYING HEAT & SOLDER TO LEAD & FOIL.
3. CLEAN & INSPECT AS PER SPEC S676.
4. FOR ELECTRICAL COMPONENT PART NUMBERS REFER TO NPL A4952
5. USE SYMBOL NUMBERS FOR ASSY. REF.

REF Z106

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X	2	BS 100	SOLDER TIN ALLOY	
1	1	PC 678	PRINTED CIRCUIT BD	

**LIST OF MATERIAL**

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

**TOLERANCES ON**

DECIMALS	FRACTIONS
.X ± .05	± 1/64
.XX ± .01	ANGLES
.XXX ± .005	± 0° -30'

FINAL APPROVAL	DATE
MECH. DES.	DATE
ELECT. DES.	DATE
CHECKED	DATE
DRAWN <i>J. De Haven</i>	DATE

**THE TECHNICAL MATERIEL CORP.**  
MAMARONECK, NEW YORK

**ASSY PRINTED CIRCUIT BD**  
**3-12 MHz GENERATOR**

1	GPR-110	BMA 515
QTY / UNIT	MODEL USED ON	ASS'Y NO.
<b>APPLICATION</b>		
CODE		

NOTICE TO PERSONS RECEIVING THIS DRAWING  
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

SIZE	CODE IDENT.NO.	DWG NO.	ISSUE
C	82679	A4952	
SCALE		SHEET	OF