

IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.


MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
THE TECHNICAL MATERIEL CORPORATION
MAMARONECK, NEW YORK

- A - 5/32 (.156) D. - 8 HOLES REQ.
- C - 1/4 (.250) D. - 4 " "
- E - 1/2 (.500) D. - 1 " "
- F - 9/16 (.562) D. - 2 " "
- G - DRILL & TAP 6-32 - 2 " "
- H - 7/32 (.218) D. - 3 " "
- K - .3125 D ± .001 " "
- L - 1/64 (.171) D - 6 " "
- M - #11 DRILL (.191) - 1 " "
- N - #32 DRILL (.116) - 1 " "
- P - 13/64 (.203) D - 5 " "
- R - 8-32 DR. & TAP - 2 " "



A-858 M

ISSUE ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
M 1	2R HOLES ADDED	8-16-60	2774	RU	gcb	<i>[Signature]</i>
L 2	CMO REF DELETED	8/5/60	2712	RJ	gcb	<i>[Signature]</i>
L 1	2(R) HOLES DELETED	8/5/60				<i>[Signature]</i>
K	TWO, "R" HOLES, ADD	3/10/60		CS		<i>[Signature]</i>
J 1	S404 IRIDIUM WAS 5101 CAUSTIC DIP	12 8 59	1001	SP		<i>[Signature]</i>
H 1	(5) "P" HOLES WERE "L" HOLES	5/14/58	8	MC	<i>[Signature]</i>	<i>[Signature]</i>
G 1	ITEM 2 WAS BB-108	5/9/58	7	MC	<i>[Signature]</i>	<i>[Signature]</i>
F 1	3" WAS 3 7/8 (CUTOUT)	5/20/60	6	EDS	<i>[Signature]</i>	<i>[Signature]</i>
E 2	1 "F" HOLE ADDED	6/8/56	5	JAL	<i>[Signature]</i>	<i>[Signature]</i>
D 2	"D" HOLE DELETED					
D 1	4 "L" HOLES ADDED	4/18/60	4	EDS	<i>[Signature]</i>	<i>[Signature]</i>
C 2	"H" HOLES MOVED					
C 1	"N" HOLE WAS #33	7/1/60	3	EDS	<i>[Signature]</i>	<i>[Signature]</i>
B 1	8 "P" HOLES DELETED	7/1/60	3	EDS	<i>[Signature]</i>	<i>[Signature]</i>
B 2	2 "N" HOLE WAS 7 HOLE	11-23-58	2	A.B.	<i>[Signature]</i>	<i>[Signature]</i>
B 3	"M" WAS 13/64 (.203) D.					

TOLERANCES: DEC. DIM. ± .005, FRAC. DIM. ± .004, ANGULAR DIM. ± 1°
SCALE: DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.

REQ PER UNIT	MODEL	PROJECT NO.	ASSY. NO.	DATE
1	RTE-2	MAS 10SC	A-855	2-1-56
1	PMO-2	285	A-855	7-23-54
1	PMO-1	285	A-855	7-23-54

1	2	BB-117-6	NYLON, PANEL BEARING	
1	1	MS-538	GEAR PLATE, MAIN (DRAWING)	
REQ. ITEM	PART NO.	DESCRIPTION		SYMBOL
		1/8 THK.		
		STOCK SIZE		
		ALUMINUM #		
		MATERIAL WEIGHT PER PC.		
		2024-T3		
		TYPE & TEMPER		
		II		
		HEAT TREAT. SPEC.		
		S404 YEL IRIDIUM		
		FINISH & SPEC. NO.		
		202A-T3		
		THE TECHNICAL MATERIEL CORP.		
		MAMARONECK, NEW YORK		
		GEAR PLATE, MAIN		
		SUB ASSY.		
		DRAWN		
		ELEC. DES. APP.		
		MECH. DES. APP.		
		CHECKED		
		FINAL APPROVAL		
		SUPERCEDES		
		MS-538-A		
		A-858 M		