

SYMBOL(S)	ITEM NO.	USED TO MOUNT	QTY	USED ON	
				MODEL	ASSY. NO.
				AX524/VLRR-1	AX540
					DATE
					4/20/65
					AX524

J208	3			
	5	CA948(JJ321-7)	1	
		JJ293	2	
		MS4061	2	
		MS4062	2	
	6	TT204	2	
		TT208	2	
		TT212	2	
	9	CA948(JJ321-7)	2	
		JJ293	2	
		MS4061	2	
		MS4062	2	
	10	TT204	2	
		TT208	2	
		TT212	2	
	11	CA948(JJ321-7)	2	
	12	MS4061	2	
		MS4062	2	
	13	JJ293	2	
	14	CA948(JJ321-7)	1	
T704	15			
T705	16			
T706	17			
	18	JJ293 WRG	3	

3	18	WL100-5		WIRE, ELEC, BUSS-SZ 18
1	17	TT212		XFMR, RF..
1	16	TT208		XFMR, RF..
1	15	TT204		XFMR, RF..
1	14	TE104-1		TERM., LUG-LKG
2	13	SCBP0440BN10		SCR, MACH
2	12	SCBP0440BN6		SCR, MACH
2	11	SCBP0440BN5		SCR, MACH
6	10	NTH0632BN8		NUT, PLN, HEX
8	9	NTH0440BN6		NUT, PLN, HEX
1	8	MS4062		CHAN, BD RET
1	7	MS4061		CHAN, BD RET
6	6	LWE06MRN		WASH., LK, EXT
7	5	LWE04MRN		WASH., LK, EXT
1	4	LDI667-1/MS4063		CHAS, RF
1	3	JJ293-22SFE		CONN, RECP, FML, PC
1	2	CA948		WRG HARN, BRGHD
	1	BSI00		SOLDER, TIN ALY

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		POSE	
THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK			
RF MODULE, BAND 3			
STOCK SIZE			
MATERIAL			
4-27-65	4-27-65	4-27-65	4-27-65
ENG COORD	DRAWN	CHECKED	FINAL APPROVAL
TYPE & TEMPER HEAT TREAT. SPEC.			
FINISH & SPEC. NO.			
MECH. DES. APP. MECH. DES. APP.			
AX524			

UNLESS OTHERWISE SPECIFIED
 DIMENSIONS ARE IN INCHES AND INCLUDE
 CHEMICALLY APPLIED OR PLATED FINISHES
 TOLERANCES
 DECIMALS
 .X ± .05
 .XX ± .01
 .XXX ± .005
 FRACTIONS
 ± 1/64
 ANGLES
 ± 0° 30'