




AX 668



NOTE - ALL DIMENSIONS ARE FOR REFERENCE ONLY.



HOOK-UP OF ITEM 2



SCHMATIC

NOTE:
THIS DRAWING REPLACES
AX 229 (A1918)

X	16	BS100	SOLDER, TIN ALLOY
12	15	SCBP0832BN4	SCREW, MACHINE
12	14	TE112-3	TERM, LUG, LKG
X	13	MWC14(19)UO	WIRE, ELEC, INS.
X	12	MWC14(19)U9	WIRE, ELEC. INS.
1	11	CU 113	BOX, CONN. ELEC.
1	10	PO162	CONDUIT
1	9	PO161	END FITG, BLANK
1	8	PO163-3.000	COVER, COND
1	7	↑ -2.375	↑
1	6	↑ -2.125	↑
1	5	↑ -11.000	↑
1	4	↓ -7.500	↓
1	3	PO163-4.000	COVER, COND
6	2	JJ 337	CONN RECP. ELEC.
1	1	MS 2306	CND, AC. STRIP

REQ. ITEM	PART NO.	F. BUDETTI DESCRIPTION	SYMBOL
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
AC POWER STRIP ASS'Y			
STOCK SIZE.			
MATERIAL			
TYPE & TEMPER		HEAT TREAT. SPEC.	DRAWN
515 GREY ENAMEL			CHECKED
FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.
			AX 668

Ø	ORIG REL. FDR PROD.	4-12-67				
X	EXP. RELEASE	4-10-67				
ISSUE ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
TOLERANCES		SCALE: 1/4 - DO NOT SCALE				
DEC. DIM. ±		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				
FRAC. DIM. ± 1/64						
ANGULAR DIM. ±						

1	RAK-11		4-10-67
REQ. PER UNIT	MODEL	PROJECT NO.	ASS'Y. NO.
			DATE
USED ON			

5401-451