



IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

CA-109

USED ON

PER UNIT	MODEL	PROJECT NO.	ASSY. NO.	DATE
1	Y0X	101		6-30-54
1	Y0X-1 Y0X-2			2-7-55



ITEM 2	WIRING TABLE	ITEM 3
PIN NO.	CONDUCTOR COLOR	PIN NO.
1	WHITE	1
2	RED	2
3	BLACK	3
4	GREEN	4
5	TAN	5
6	GREY	6
7	BLUE	7
8	PINK	8
9	PURPLE	9
10	ORANGE	10
11	BROWN	11
12	YELLOW	12

ISSUE ITEM	1	REDRAWN - NO CHANGE	1-13-53	1	C.D.D.	✓	CHECKER	ENG. APP.
CHANGED FROM			DATE	CN. NO.	DRAFTS	SCALE		

TOLERANCES
 DEC. DIM. ±
 FRAC. DIM. ±
 OTHERS ANGULAR DIM. ±

DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.

X 4	BS-100	SOLDER, SOFT			
1 3	PL-102-1	CONNECTOR, MALE			
1 2	PL-102-2	CONNECTOR, FEMALE			
6'-0"	WI-100-10	CABLE, 12 CONDUCTOR			
REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL		
			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
STOCK SIZE			AUXILIARY SERVICE CABLE		
MATERIAL			POWER SUPPLY TO R.F. CHASSIS		
TYPE & TEMPER			EMB 6/30/54		
WEIGHT PER PC.			DRAWN		
			ELEC. DES. APP. <i>AJJ</i>		
			MECH. DES. APP. <i>WJ</i>		
HEAT TREAT. SPEC.			CHECKED		
			SUPERCEDES		
FINISH & SPEC. NO.			FINAL APPROVAL		
			CA-109		