


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

CA-186 B

| INDICATES NAIL AT END OF WIRE.  
 X INDICATES NAIL AT BREAKOUT.  
 ALL WIRE LENGTHS ALLOW 3/4" EACH END FOR STRIPPING.



**NOTICE TO PERSONS RECEIVING THIS DRAWING**  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.  
 Property of:  
 THE TECHNICAL MATERIEL CORPORATION  
 MAMARONECK, NEW YORK

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X	6	CD-100-1	CORD LACING, NYLON	
11 1/2	5	SR1R 3/5 (7) 22U-22	CABLE, INSULATED (RED)	
11 3/4	4	SR1R 3/5 (7) 22U 94	" " (WH/YEL.)	
9	3	SR1R 3/5 (7) 22U 66	" " (BLUE)	
10 1/4	2	SR1R 3/5 (7) 22U 96	" " (WH/BLUE)	
9 3/4	1	SR1R 3/5 (7) 22U 33	" " (GR.)	
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			CABLE ASSEMBLY FRONT PANEL MOUNT	
C.D.D. 7-10-53			G.T.O	
DRAWN			ELEC. DES. APP.	MECH. DES. APP.
CHECKED			FINAL APPROVAL	
CA-186			B	

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
B	2	WIRE COLORS CHANGED STRIPPING LENGTH CHANGED	7/2/54	2	16	M.D.	G.T.O
	2	LEAD LENGTHS CHANGED				G.T.O	G.T.O
A	1	5 WAS 8 1/4" 3 WAS 10"	8/4/53	1	C.D.D.	J.A.V.	

TOLERANCES		SCALE: #		DVM		199		7-10-53	
DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±		DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.		MODEL		PROJECT NO.		ASS'Y. NO.	
ALL OTHERS								DATE	