


CA1012

REVISIONS

SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
Ø	ORIGINAL RELEASE FOR PRODUCTION	2-16-66	—	Jc		
	INCREASED LENGTH IT. 4, 1/2	6/15/66	16405	JL		



SYMBOL - DENOTES


- = ITEM NO'S
- ⬡ = LUGS
- = WIRE MARKERS

THIS SYMBOL DENOTES END OF INSULATION AND NAIL DRIVING POINT. WIRE MUST BE STRIPPED 3/4" BEYOND THIS POINT AND TINNED 1/2" UNLESS OTHERWISE SPECIFIED.

UNLESS OTHERWISE SPECIFIED WIRES SHOULD BE PLACED IN CABLE IN NUMERICAL SEQUENCE AS THEY APPEAR IN ITEM COLUMN BY CATEGORY.

- ALL R.F. CABLES
- ALL SHIELDED CABLES
- ALL OTHERS

SPACE LACING APPROXIMATELY 3/4" APART.



NOTES

GPT-10KLF		ASS'Y. NO.
Q'TY./UNIT	MODEL USED ON	
SCALE	CODE	
1:1	A	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
X	12	BS-100	SOLDER, TIN ALLOY	
X	11	CD-101-1-MW	CORD, NYLON, LACING	BLACK
Ø	10	LA-101	BAND, MARKER, CBL	
Ø	9	TE-120-2	TERM, LUG, SPADE	
	8	MWC20(7)U2	WIRE, ELECT. INS.	RED
	7	U92		WH/RED
	6	U4		YELLOW
	5	U94		WH/YELLOW
	4	U91		WH/BROWN
	3	U1		BROWN
	2	U6		BLUE
	1	MWC20(7)U9	WIRE, ELECT. INS.	WHITE

F. BUDETTI LIST OF MATERIAL

MATERIAL		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH		TITLE CABLE, ASSEMBLY (AR-171) SWR OVL D	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		DRAWN	DATE
DECIMALS .X ± .05 TOLERANCES .XX ± .01 .XXX ± .005		12-1-65	12/15/66
FRACTIONS ± 1/64 ANGLES ± 0° 30'		CHECKED	DATE
		2-15-66	
		ELECT. DES.	DATE
		MECH. DES.	DATE
		FINAL APPROVAL	
		CA1012	
		SHEET	
		REV. LTR.	