


CA1224

SYMBOL - DENOTES
 ○ = ITEM NO'S
 ⬡ = LUGS
 □ = WIRE MARKERS

REVISIONS						
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
Ø	ORIGINAL RELEASE FOR PRODUCTION	2-16-66		Jc		

THIS SYMBOL DENOTES END OF INSULATION AND NAIL DRIVING POINT. WIRE MUST BE STRIPPED 3/4" BEYOND THIS POINT AND TINNED 1/2" UNLESS OTHERWISE SPECIFIED.

UNLESS OTHERWISE SPECIFIED
 WIRES SHOULD BE PLACED IN CABLE IN NUMERICAL SEQUENCE AS THEY APPEAR IN ITEM COLUMN BY CATEGORY.
 1. ALL R.F. CABLES
 2. ALL SHIELDED CABLES
 3. ALL OTHERS
 SPACE LACING APPROXIMATELY 3/4" APART.



NOTES

X	13	BS100	SOLDER, TIN, ALLOY	
X	12	CD101-1-MW	CORD, NYLON, LACING	BLACK
8	11	LA101	BAND, MARKER CBL	
8	10	TE120-2	TERM, LUG, SPADE	
X	9	PX100-1-315	INS., SLVG, ELECT.	
	8	HWC16(19)U4	WIRE, ELECT, INS.	YELLOW
	7	HWC16(19)U9		WHITE
	6	MWC20(7)U9		WHITE
	5	U6		BLUE
	4	U4		YELLOW
	3	U94		WH/YEL
	2	U91		WH/BRN
	1	MWC20(7)U1	WIRE, ELECT, INS.	BROWN

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
F. BUDETTI LIST OF MATERIAL				
MATERIAL			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH			TITLE CABLE ASSEMBLY (AR-180) PA SCREEN OVL	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES			DRAWN <i>[Signature]</i>	DATE 2-15-66
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005			CHECKED <i>[Signature]</i>	DATE 2-15-66
FRACTIONS ± 1/64 ANGLES ± 0° 30'			ELECT. DES. <i>[Signature]</i>	DATE
TOLERANCES			MECH. DES. <i>[Signature]</i>	DATE
			CA1224	
			SHEET	
			REV. LTR.	

Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
1	GPT-10KLF	
SCALE	CODE	
1:1	A	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.