

REQ.	ITEM NO.	PART NO.	BREAK OUT		DESTINATION OR DESCRIPTION	TO
			FROM	TO		
	1	MWC24(7)U0			J7006	J7005 PIN 1
	2	U0	2	1A	J7006	S7004-A 9F
	3	U1		5		J7005
	4	U1		1A		S7004-A 10F
	5	U2		4		J7005
	6	U2		1A		S7004-A 11F
	7	U3		4		J7005
	8	U3		1A		S7004-A 12F
	9	U4		4		J7005
	10	U4		1A		S7004-A 13F
	11	U6	2	4	J7006	J7000
	12	U5	5	7	S7004-K	J7005
	13	U5	2	1A	J7006	S7004-A 14F
	14	U6		4		J7005
	15	U6		1A		S7004-A 15F
	16	U7		4		J7005
	17	U7		1A		S7004-A 16F
	18	U8		4		J7005
	19	U8		1A		S7004-A 17R
	20	U9		4		J7005
	21	U9		1A		S7004-A 18R
	22	U90		4		J7005
	23	U90		1A		S7004-A 19
	24	U91		4		J7005
	25	U91		1A		S7004-A 20
	26	U92		4		J7005
	27	U92		1A		S7004-A 21
	28	U93		4		J7005
	29	U93		1A		S7004-A 22
	30	U94		4		J7005
	31	U94		1A		S7004-A 23
	32	U95		4		J7005
	33	U95		1A		S7004-A 24
	34	U96		5		J7005
	35	U96		1A		S7004-A 25
	36	U97		5		J7005
	37	U97		1A		S7004-A 26
	38	U98	2	5	J7006	J7005
	39	U0	5	1B	S7004-B	
	40	U1		1B		
	41	U2		1B		
	42	U3	5	1B		
	43	U4	4	1C		
	44	U5	5	1B		
	45	U6	5			
	46	U7	4			
	47	U8	4			
	48	U9	4			
	49	U90	5			
	50	U91				
	51	U92				
	52	U93				
	53	U94	5	1B	S7004-C	J7005
	54	U95	5	1B		J7000
	55	U96	4	1B		J7005
	56	U97	4	1B		J7005
	57	MWC24(7)U98	4	1C	S7004-C	J7005

ITEM REQ. NO.	PART NO.	BREAK OUT		DESTINATION OR DESCRIPTION	TO
		FROM	TO		
57	MWC24(7)U0	4	1	S7004-C	J7005 PIN 40
58	MWC24(7)U0	5	1C	S7004-D	J7005 PIN 41
59	U1	5	1C	S7004-D	J7005 PIN 42
60	U2	5	1C		J7005 PIN 43
61	U3	4	4	WIPER	S7004-B WIPER
62	U4	5	1C		J7005 PIN 45
63	U5	5	1C		J7005 PIN 46
64	U6	4	1C		J7005 PIN 47
65	U7	4	1C	S7004-D	J7005 PIN 48
66	U8	4	4	S7004-D WIPER	S7004-J WIPER
67	U9	5	1C	S7004-E	J7005 PIN 50
68	U90	5	1C		J7005 PIN 51
69	U91	5	1C		J7005 PIN 52
70	U92	4	7	WIPER	J7000 F
71	U93	5	1C		J7005 PIN 53
72	U94	5	1C		J7005 PIN 54
73	U95	4	1C	10	J7005 PIN 55
74	U96	4	1C	S7004-E	J7005 PIN 56
75	U97	5	1C	S7004-J	J7005 PIN 57
76	U98	5	1D		J7005 PIN 58
77	U0	5	1D		J7005 PIN 59
78	U1	5	1D		J7005 PIN 60
79	U2	5	1D		J7005 PIN 62
80	U3	5	1D		J7005 PIN 65
81	U4	4	1D	S7006 PIN 9	J7005 PIN 70
82	U5	4	1D	S7006 PIN 11	J7005 PIN 73
83	U6	4	1D	S7006 PIN 13	J7005 PIN 76
84	U7	4	7	S7004-J	J7005 PIN N
85	U0	5	6	S7004-K	TERMINAL
86	U1	4	4	S7004-F	J7005 PIN 2
87	U2	4	4		J7005 PIN 3
88	U3	4	4		J7005 PIN 4
89	U4	4	4		J7005 PIN 5
90	U5	5	4		J7005 PIN 6
91	U6	4	6		J7005 PIN 7
92	SJ7	4	1D	S7004-F WIPER	TERMINAL PIN 8
93	SJ8	4	1D	TERM. 9	J7005 PIN 63
94	U9	5	6	S7004-G	J7005 PIN 77
95	U90	5	6	S7004-G	TERM. 15
96	U91	4	6	S7004-G	TERM. 16
97	SJ92	4	1D	S7004-G WIPER	TERM. 17
98	SJ93	6	1D	TERM. 11	J7005 PIN 66
99	U94	5	6	S7004-H	J7005 PIN 80
100	U95	5	6	S7004-H	TERM. 11
101	U96	4	6	S7004-H	TERM. 12
102	SJ97	4	1D	S7004-H	TERM. 13
103	SJ98	6	1D	S7004-H WIPER	J7005 PIN 64
104	U0	5	6	TERM. 14	J7005 PIN 78
105	U1	5	6	S7004-I	TERM. 19
106	U2	4	6	S7004-I	TERM. 20
107	SJ3	4	1D	S7004-I	TERM. 21
108	SJ4	6	1D	S7004-I WIPER	J7005 PIN 82
109	U92	6	7	TERM. 18	J7005 PIN 67
110	U9	1	7	TERM. 16	J7002 M
111	U2	3	7	J7005 PIN 49	J7002 8
112	MWC24(7)U3	1D	7	S7004 SOLENOID	J7002 PIN F
113	MWC24(7)U6	7	7	J7005 PIN 79	J7002 PIN 18
		7	7	J7002 PIN N	J7000 PIN 17

REQ	ITEM	PART NUMBER	BREAKOUT		DESTINATION OR DESCRIPTION			
			FROM	TO	FROM	TO		
	112	MWC24(7)90	5	1D	S7004J	PIN 1	J7005	PIN 76
	113	EA520P01313	5	13F	(CONNECTOR PRODUCTS)		J7001	V
	114	CD101-1MW2	5	CORD	NYLON, LACING	3		U
	115	BS100 93	5	SOLDER	TIN, ALLOY	5		UU
	116	PX100-1-750	5	8		7		SS
	117	EY102-1795	5	8	GROMMET	9		WK
69	118	PN123-22P	4	8	CONTACT, CRIMP TYPE			RE
4	119	PN123-14P	4	8	CONTACT, CRIMP TYPE			VV
	120	MWC 24(7)U9D	1	7	J7005	PIN 23	J7000	PIN S