

4

3

2


1

ENGINEERING SKETCH



FOR PRODUCTION

SYMBOL DENOTES

○ = ITEM NO'S
 △ = PINS



REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	X	EXPERIMENTAL RELEASE	1/9/68	+	H.S.	[Signature]
	Ø	ORIGINAL RELEASE FOR PRODUCTION	4.16.68	Ø	H.S.	[Signature]



USE ITEM 1 TO JUMP PINS A, E, G & T.

18	BS100	SOLDER, TINALY				
17	CD101-1MW	CORD, NYLON, LACING				
16	PX100-1-315	INS, SLVG, BLK				
15	PX100-1-106	INS, SLVG, BLK				
1	14 MS3102A20-295	CONN, RECP, FML 17 IC				J1002
	13 MWC20(7)U0	J1002	PIN T	TBB05	TERM GRD	
	12 MWC22(7)U91		P		11	
	11 MWC22(7)U90		N		10	
	10 MWC22(7)U9		M		9	
	9 MWC22(7)U8		L		8	
	8 MWC22(7)U7		K		7	
	7 MWC22(7)U6		J		6	
	6 MWC22(7)U5		H		5	
	5 MWC22(7)U4		F		4	
	4 MWC22(7)U3		D		3	
	3 MWC22(7)U2		C		2	
	2 MWC22(7)U1	J1002	PIN B	TBB05	TERM 1	
	1 WI100-7	WIRE, BUSS				

QTY. REQ.	ITEM	PART NO.	FROM	DESCRIPTION	TO	SYMBOL
F. BUDETTI LIST OF MATERIAL SK 3290-CA1005						
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK						
CABLE, SPECIAL PURPOSE						
SIZE	CODE IDENT.NO.	DWG NO.	ISSUE			
C	82679	SCA1376005	Ø			
SCALE				SHEET	OF	

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON
 DECIMALS .X ± .05 .XX ± .01 .XXX ± .005
 FRACTIONS ± 1/64 ANGLES ± 0° -30'

1	BCT-10KA	ASS'Y NO.
APPLICATION		
CODE	S401-451	

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

THIS SYMBOL DENOTES END OF INSULATION AND NAIL DRIVING POINT. WIRE MUST BE STRIPPED 3/4" BEYOND THIS POINT AND TINNED 1/2" UNLESS OTHERWISE SPECIFIED

4

3

2

1