


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	X	EXP. RELEASE	3/11/69		K.H.	
	Ø	ORIGINAL RELEASE FOR PRODUCTION	3/18/69		R.G.	



THIS SYMBOL DENOTES END OF INSULATION AND NAIL DRIVING POINT. WIRE MUST BE STRIPPED 3/4" BEYOND THIS POINT AND TINNED 1/2" UNLESS OTHERWISE SPECIFIED.

Wires should be placed in cable in numerical sequence as they appear in item column. Space lacing approximately 3/4" apart.

X	15	BS 100	SOLDER TIN	
X	14	CD 101 - 1 MW	CORD, NYLON LAC.	
11	13	PN 123 - 22 P	PIN MALE	PLACE ON END MARKED "A"
X	12	LA 101	BAND MARK. CABLE	
	11	MWC 22(7) U0	S101 B - 11	J 119 BM
	10	U90	- 10	BL
	9	U9	- 9	BK
	8	U8	- 8	BJ
	7	U7	- 7	BH
	6	U6	- 6	BF
	5	U5	- 5	BE
	4	U4	- 4	BD
	3	U3	- 3	BC
	2	U2	- 2	BB
	1	MWC 22(7) U1	S101 B - 1	J 119 BA

QTY. REQ.	ITEM	PART NO.	FROM	DESCRIPTION	TO	SYMBOL
-----------	------	----------	------	-------------	----	--------

LIST OF MATERIAL

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		FINAL APPROVAL <i>[Signature]</i>	DATE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK WIRING HARNES, BRANCHED	
TOLERANCES ON		MECH. DES.	DATE		
DECIMALS	FRACTIONS	ELECT. DES.	DATE		
.X ± .05	± 1/64	CHECKED <i>[Signature]</i>	DATE 3/12/69		
.XX ± .01	ANGLES	DRAWN <i>[Signature]</i>	DATE 3/11/69		
.XXX ± .005	± 0° - 30'			SIZE	CODE IDENT. NO.
MATERIAL				C	82679
FINISH				DWG NO.	CA 1486
NOTICE TO PERSONS RECEIVING THIS DRAWING				ISSUE	Ø
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.				SCALE	SHEET OF

1	SME - 6	
QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION		
CODE		