


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	X	EXP RELEASE	3-30-70		GE	MS
	Ø	ORIG RELEASE FOR PROD	4-1-70		CV	



SYMBOL DENOTES


○ = ITEM NO.

△ = TAGS

UNLESS OTHERWISE SPECIFIED
WIRES SHOULD BE PLACED IN CABLE IN NUMERICAL SEQUENCE
AS THEY APPEAR IN ITEM COLUMN BY CATEGORY.

1. ALL R.F. CABLES
2. ALL SHIELDED CABLES
3. ALL OTHERS

SPACE LACING APPROXIMATELY 3/4" APART.



THIS SYMBOL DENOTES END OF INSULATION
AND NAIL DRIVING POINT. WIRE MUST BE
STRIPPED 3/4" BEYOND THIS POINT AND
TINNED 1/2" UNLESS OTHERWISE SPECIFIED.

REQ'D	ITEM	PART NUMBER	DESCRIPTION FROM	TO	SYM.
X	18	CD 101-1MW	CORD, NYLON, LACING		
10	17	LA 101	BAND MARKER, CBL		
X	16	BS 100	SOLDER TIN ALLOY		
1	15	MWC 26(7)UO	WIRE, ELEC, INS.	A12-14	SIC-3 FR
1	14		8	10	A-2 FR
1	13		2	11	A2 REAR
1	12		9	9	A3 FR
1	11		0	K	A10 FR
1	10		1	15	A5 REAR
1	9		5	13	A5 FR
1	8		7	12	A6 FR
1	7		98	8	A-12 FR
1	6		6	6	A-11 FR
1	5		90	L	A-11 REAR
1	4		94	J	B-8 FR
1	3		4	N	B-5 FR
1	2		3		B-6 FR
1	1	MWC 26(7)U93	WIRE, ELEC, INS.	A12-H	SIB 9 FR

REF. CK 1768

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		FINAL APPROVAL	DATE	THE TECHNICAL MATERIEL CORP.	
DECIMALS .X ± .05 FRACTIONS 1/64		MECH. DES.	DATE	MAMARONECK, NEW YORK	
.XX ± .01 TOLS. ANGLES		ELECT. DES.	DATE	CABLE BRANCHED	
.XXX ± .005 0°-30'		CHECKED	DATE	FUNCTION SWITCH	
MATERIAL		DRAWN	DATE	SIZE	CODE IDENT. NO.
FINISH				B	82679
				DWG NO.	CA 1574
				ISSUE	Ø
				SCALE 1:1	SHEET OF

1	HFR-4	AX 5116
QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION		
	CODE	
	4	
NOTICE TO PERSONS RECEIVING THIS DRAWING		
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		