


ZONE		LTR		REVISIONS			
DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD		
ORIGINAL RELEASE FOR PRODUCTION	5/22/60						



- SYMBOL DENOTES
- = ITEM No.
 - (with dashed line) = BREAKOUT
 - (with horizontal line) = CONNECTOR
 - △ = PIN No.
 - = MARKER
 - ⬡ = LUG

THIS SYMBOL DENOTES END OF INSULATION AND NAIL DRIVING POINT. WIRE MUST BE STRIPPED 3/4" BEYOND THIS POINT AND TINNED 1/2" UNLESS OTHERWISE SPECIFIED.


THIS SYMBOL INDICATES END OF SHIELDING.

THE ABOVE SYMBOL DENOTES END OF SHIELD, WHICH SHOULD BE TERMINATED AS SHOWN, LEAVING EXCESS SHIELDING AS A PIGTAIL. TIN PIGTAIL 1/4 INCH.

UNLESS OTHERWISE SPECIFIED WIRES SHOULD BE PLACED IN CABLE IN NUMERICAL SEQUENCE AS THEY APPEAR IN ITEM COLUMN BY CATEGORY.

- ALL R.F. CABLES
- ALL SHIELDED CABLES
- ALL OTHERS

SPACE LACING APPROXIMATELY 3/4" APART.



GPTM-25KEK		PARKING-2EK	
QTY / UNIT	MODEL USED ON	ASS'Y NO.	
APPLICATION			
CODE A			

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON

DECIMALS	FRACTIONS
X ± .05	± 1/64
XX ± .01	ANGLES
XXX ± .005	± 0°-30'

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
F. BUDETTI				
LIST OF MATERIAL				
THE TECHNICAL MATERIEL CORP.				
MAMARONECK, NEW YORK				
CABLE, EXCITER INTERCONNECT				
MATERIAL		SIZE	CODE IDENT. NO.	DWG. NO.
FINISH		D	82679	CA1579
SCALE 1:1		SHEET		OF

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

REQ	ITEM	PART NUMBER	BREAKOUT		DESTINATION OR DESCRIPTION	TO
			FROM	TO		
	1	MWC24(7)SJ1	1	8	P8031	TB103 TERM 1
	2	▲	1	8	▲	TB103 TERM 3
	3	3	1	7	D	TB104 TERM 1
	4	4	1	7	F	TB104 TERM 3
	5	▼	1	6	G	TB105 TERM 7
	6	MWC24(7)SJ6	1	6	H	TB105 TERM 6
	7	MWC24(7)U93	1	6	J	TB105 TERM 5
	8	MWC18(16)U0	1	8	K	TB103 TERM 4
	9	MWC24(7)SJ7	1	7	L	TB104 TERM 5
	10	▲	1	7	M	TB104 TERM 6
	11	9	1	6	N	TB105 TERM 3
	12	▼	1	6	P	TB105 TERM 4
	13	MWC24(7)SJ92	1	6	R	TB105 TERM 2
	14	MWC24(7)U0	1	1	S	P8031 PIN K
	15	MWC24(7)U94	1	6	U	TB105 TERM 8
	16	MWC24(7)U95	1	8	PIN V	TB103 TERM 6
	17	RG174/U	2	5	J8010	P8036 J125
	18	RG174/U	2	5	J8013	P8037 J123
	19	RG174/U	2	5	J8011	P8035 J124
	20	MWC20(7)U9	3	4	O1	J116 PIN A
	21	MWC20(7)U8	3	4	O2	J116 PIN C
	22	MWC20(7)U0	4	8	PIN B	TB103 TERM 4
	23	MWC24(7)U0	8	6	TERM 6	TB105 TERM 1
	24	MWC24(7)U0	6	1	TERM 1	P8031 PIN 5
	25					
1	26	TM105-8AL			TERM. BD, FNG	
1	27	MS3106B16S-58	P8038		CONN. PL. FML.	
1	28	MS3057-8	P8038		CLP. CBL. EL. CONN.	
1	29	MS3420-6A			BUSH. RUB.	
1	30	MS3420-8A			BUSH. RUB.	
6	31	PL244-1			CONN. PL. BNC	
2	32	TM105-6AL			TERM. BD. FNG.	
3	33	SCBP0632BN7			SCREW MACH.	
3	34	FW06HBN			WASH. FLAT	
3	35	LWE06MRN			WASH. LK. EXT.	
3	36	NTH0632BN8			NUT HEX.	
3	37	CU102-2			CLAMP LOOP.	
2	38	LA101-S			BAND MKR NO S	
1	39	LA107-9-J123			SLV. MARKER CBL.	
1	40	▲	9-J124		▲	▲
1	41	9-J125			▲	▲
1	42	9-J8010			▲	▲
1	43	9-J8011			▲	▲
1	44	9-J8012			▲	▲
1	45	10-J116			▲	▲
1	46	11-TB103			▲	▲
1	47	11-TB104			▲	▲
1	48	11-TB105			▲	▲
1	49	15-J8003			▲	▲
1	50	LA107-15-SME			SLV. MARKER CBL.	

REQ	ITEM	PART NUMBER	BREAKOUT		DESTINATION OR DESCRIPTION	
			FROM	TO	FROM	TO
2	51	TE156-34149				TERM. CRIMP
X	52	PX100-1-106				INS. SLVG. BLK
X	53	PX100-1-166				INS. SLVG. BLK
X	54	PX100-1-208				INS. SLVG. BLK
X	55	PX100-1-438				INS. SLVG. BLK
X	56	PX830-12-1				INS. SLVG. SHRINK BLK
X	57	BS100				SOLDER TIN ALLOY
X	58	CD101-1MW				CD. LACING NYLON
X	59	TA101-1				INS. TAPE EL-GL 1/4
1	60	M53106B28-21P	P8031			CONN, PL, ML
1	61	M53057-16				CLP, CBL, EL CONN
1	62	M53420-12A				BUSH, RUB
1	63	M53420-16A				BUSH, RUB