


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be re-reproduced or used to manufacture any thing shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
 THE TECHNICAL MATERIEL CORPORATION
 MAMARONECK, NEW YORK



WIRE LENGTHS SHOWN ARE TOTAL LENGTHS. NOS. 24-25-26-27-28 ALLOW 3/4" EACH END FOR STRIPPING. ALL OTHERS ALLOW 1/2" EACH END. ALL LENGTHS ARE IN INCHES

1	44	EY-102-4	GROMMET ELASTIC	
10	43	TE-120-2	SPADE LUG	
X	42	CD-101-1MW	CORD LACING, NYLON	
16 1/2	41	MWC 22(7)U93	WIRE, ELECTRICAL (WH/OR.)	
24 3/4	40	↑ ↑ ↑ 95	↑ ↑ ↑ (WH/GRN)	
16 3/4	39	3	(ORANGE)	
14 1/4	38	↑ ↑ ↑ 93	↑ ↑ ↑ (WH/OR.)	
15 3/4	37	MWC 22(7) 3	(ORANGE)	
28 1/2	36	MWC 20(7)U8	(GRAY)	
26 1/2	35	MWC 22(7)U95	(WH/GRN)	
35	34	↑ ↑ ↑ 90	↑ ↑ ↑ (WH/BLK)	
24 1/4	33	6	(BLUE)	
19 1/4	32	5	(GREEN)	
17 3/4	31	2	(RED)	
22 1/4	30	92	(WH/RED)	
12 3/4	29	92	(WH/RED)	
28 3/4	28	96	(WH/BLUE)	
20 1/2	27	6	(BLUE)	
33 1/2	26	2	(RED)	
31 1/2	25	↑ ↑ ↑ 92	↑ ↑ ↑ (WH/RED)	
22	24	MWC 22(7)U2	(RED)	
9 1/4	23	MWC 20(7)U8	(GRAY)	
15	22	↑ ↑ ↑ 9	↑ ↑ ↑ (WHITE)	
20	21	9	(WHITE)	
38 3/4	20	↑ ↑ ↑ 8	↑ ↑ ↑ (GRAY)	
41 1/4	19	MWC 20(7)U9	(WHITE)	
40 3/4	18	MWC 22(7)U94	WIRE, ELECTRICAL (WH/YEL)	
17	17	MWC 22(7)S79	CABLE, INSULATED W/SHIELD (WHITE)	
37 1/4	16	MWC 22(7)U96	WIRE, ELECTRICAL (WH/BLUE)	
15 1/2	15	MWC 22(7)U5	(GREEN)	
36 1/2	14	MWC 22(7)U4	(YELLOW)	
28 3/4	13	MWC 20(7)U91	(WH/BRN)	
5 3/4	12	MWC 22(7)U4	(YELLOW)	
22 3/4	11	MWC 22(7)U5	(GREEN)	
13 1/4	10	MWC 20(7)U8	(GRAY)	
13 1/2	9	↑ ↑ ↑ 6	↑ ↑ ↑ (BLUE)	
13 1/4	8	8	(GRAY)	
13	7	0	(BLACK)	
12 3/4	6	1	(BROWN)	
26 1/2	5	91	(WH/BRN)	
19 1/4	4	1	(BROWN)	
12 1/2	3	6	(BLUE)	
15 1/2	2	↑ ↓ ↓ 91	↑ ↓ ↓ (WH/BRN)	
12 1/2	1	MWC 20(7)U1	WIRE, ELECTRICAL (BROWN)	

CA-220 F

F	B/M CHT UPDATED	9-20-64	16857	WH			
E	B/M CHT UPDATED	9-23-64	15229	WH			
D	ITEM (24) ADDED, ITEM # 37, 38, 39, 40, 41, 42, 43, 44 ROTATED - ITEM (37) QTY. WAS (4) 1/2	7-26-63	9624	HA	HP		
C	WIRE LACING PART NOS. UPDATED & STANDARDIZED	5-23-63	9068	R	HP		
B	ITEM 1 WAS 1 3/2	3-26-61	2	HP			
A	WIRE LENGTHS CHANGED	11-18-54	1	HP			

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
TOLERANCES							
SCALE:							
DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.							

PMO-456				
PMO-1	285		8-25-54	
REQ. PER UNIT	MODEL	PROJECT NO.	ASSY. NO.	DATE

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
STOCK SIZE			
MATERIAL			
WEIGHT PER PC.			
TYPE & TEMPER.			
HEAT TREAT. SPEC.			
FINISH & SPEC. NO.			
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
CABLE ASSY., MAIN			
PMO			
C.D.D. 8-2554			
DRAWN: A.J.T. W.S.			
ELEC. DES. APP. MECH. DES. APP.			
M.H.S. A.J.T.			
CHECKED: A.J.T.			
FINAL APPROVAL			
CA-220 F			