


CA-267 C

OBSOLETE
 NO LONGER USED
 EMN*9505 - ④ - 7-16-63



WIRE LENGTHS SHOWN ARE TOTAL LENGTHS AND ALLOW 1/2" EACH END FOR STRIPPING. TIE AT POINTS "A".

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
 THE TECHNICAL MATERIEL CORPORATION
 MAMARONECK, NEW YORK

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
X 8	PX-100-1-.095	SLEEVING	
3 7	TE-120-2	LUG	
X 6	BS-100	SOLDER, SOFT	
3 5	LA-101		
12" 4	PX-100-1-.208	SLEEVING	
16 1/2 3	SRIR 3/8(7) 22U00	CABLE, INSULATED	BLK
17 1/4 2		22	RED
30 3/4 1		99	WHITE

THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
STOCK SIZE		CABLE ASSY.	
MATERIAL		P/A GPT-750	
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
		010	WDL
FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.
			A.J.I.
		CA-267 C	

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
C	1	OBSOLETE, NO LONGER USED	7-16-63	9505		NP.	WDL
B	1	ITEM 8 ADDED	12/13/56	2	16	WDL	AMP
A	1	TIE NOTE "A" ADDED	6/4/56	1	10	WDL	MPAJ

TOLERANCES		SCALE:	
DEC. DIM. ±		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.	
FRAC. DIM. ±		REMOVE ALL BURRS AND SHARP EDGES	
ANGULAR DIM. ±			

1	RTF		12-30-55
REQ. PER UNIT	MODEL	PROJECT NO.	ASS'Y. NO.
			DATE
USED ON			