


NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
THE TECHNICAL MATERIEL CORPORATION
MAMARONECK, NEW YORK



1 OF E2	10	23
2 OF E2	21	23
3 OF E2	20	23
4 OF E2	18	23
5 OF E2	17	23
6 OF E2	9	23
7 OF E2	8	23
8 OF E2	11	23

2	26	EY-102-4	GROMMET, ELASTIC	
X	25	CD-101-1-MW	CORD, LACING	BLACK
X	24	BS-100	SOLDER, SOFT	
8	23	TE-120-2	LUG, SPADE	
10"	21	MWC 22(7)U 2	CABLE INSULATED	RED
11 3/8"	20			WH/RED
15 1/4"	19			WH/RED
22 1/8"	18			ORANGE
22 1/8"	17			WH/ORG
20"	16			WH/BLU
18"	15			WH/BLU
10 5/8"	14			BLUE
6"	13			BLUE
16 1/2"	12			VIOLET
11 5/8"	11	MWC 22(7)U 0		BLACK
16 3/4"	10	MWC 20(7)U 1		BROWN
18"	9			BROWN
19"	8			WH/BRN
16 3/4"	7			WHITE
8 3/4"	6			WHITE
16 3/4"	5			WH/GREY
15 1/4"	4			WH/GREY
6 5/8"	3	MWC 20(7)U 9		WHITE
5 3/4"	2	MWC 22(7)U 0		BLACK
28 7/8"	1	MWC 20(7)U 8	CABLE, INSULATED	GREY

THIS SYMBOL DENOTES END OF INSULATION & NAIL DRIVING POINT WIRE MUST BE STRIPPED 1/2" BEYOND THIS POINT & TINNED 3/8" UNLESS OTHERWISE SPECIFIED.

WIRES SHOULD BE PLACED IN CABLE IN NUMERICAL SEQUENCE AS THEY APPEAR IN ITEM COLUMN. SPACE LACING APPROX. 3/4" APART.

A	GSD2	ON BUILDUP & PICT. DELETED ITEM # 22	10-22-63	10262				
SYM	ZONE	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	
UNLESS OTHERWISE SPECIFIED:			SCALE					
DIMENSIONS ARE IN INCHES			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS & SHARP EDGES					
TOLERANCES ON FRACTIONS ± 1/64			DECIMALS ± .005			ANGLES ± 1/2°		

1	GPE-1	P.S.		8-7-61
REQ. PER UNIT	MODEL	SECTION	ASSY. NO.	DATE
USED ON				

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
POWER SUPPLY CABLE			
MATERIAL			
TYPE & TEMPER			
HEAT TREAT. SPEC.			
FINISH & SPEC. NO.			
ELEC. DES. APP.		MECH. DES. APP.	
SHEET		OF	