


NOTES

▽ - PIN NUMBERS OF J6210-J6216 CONNECTORS

NOTES

▽ - PIN NUMBERS OF J6217-CONN




NOTICE TO PERSONS RECEIVING THIS DRAWING



THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
THE TECHNICAL MATERIEL CORPORATION
MAMARONECK, NEW YORK

THIS SYMBOL DENOTES END OF INSULATION & NAIL DRIVING POINT WIRE MUST BE STRIPPED 1/2" BEYOND THIS POINT & TINNED 3/8" UNLESS OTHERWISE SPECIFIED.



WIRES SHOULD BE PLACED IN CABLE IN NUMERICAL SEQUENCE AS THEY APPEAR IN ITEM COLUMN. SPACE LACING APPROX. 3/4" APART.



REQ.	ITEM	PART NO.	M. GELLMAN	DESCRIPTION	SYMBOL
	21	BS-100		SOLDER, SOFT	
	20	CD-101-1-MW		CORD, LACING	BLACK
	6 1/2	19	RG-174/U	CABLE, COAXIAL	
	6 1/2	18	MWC 22(7)U91	CABLE, INSULATION	WH/BRN
	6 1/2	17	MWC 22(7)U1	CABLE, INSULATION	BROWN
	6"	16	RG-174/U	CABLE, COAXIAL	
	6"	15	MWC 22(7)U91	CABLE, INSULATION	WH/BRN
	6"	14	MWC 22(7)U1	CABLE, INSULATION	BROWN
	6"	13	RG-174/U	CABLE, COAXIAL	
	6"	12	MWC 22(7)U91	CABLE, INSULATION	WH/BRN
	6"	11	MWC 22(7)U1	CABLE, INSULATION	BROWN
	6"	10	RG-174/U	CABLE, COAXIAL	
	6"	9	MWC 22(7)U91	CABLE, INSULATION	WH/BRN
	6"	8	MWC 22(7)U1	CABLE, INSULATION	BROWN
	6"	7	RG-174/U	CABLE, COAXIAL	
	6"	6	MWC 22(7)U91	CABLE, INSULATION	WH/BRN
	6"	5	MWC 22(7)U1	CABLE, INSULATION	BROWN
	6 1/2	4	RG-174/U	CABLE, COAXIAL	
	5 1/4	3	RG-174/U	CABLE, COAXIAL	
	6 1/2	2	MWC 22(7)U91	CABLE, INSULATION	WH/BRN
	6 1/2	1	MWC 22(7)U1	CABLE, INSULATION	BROWN

THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
CABLE, ASSY ELECTRICAL BRANCHED. FILAMENT IF OUTPUT			
Ken C. Hu	H. De	BP	
DRAWN	CHECKED	FINAL APPROVAL	
		CA-673	
ELEC. DES. APP.	MECH. DES. APP.	SHEET	OF

SYM	ZONE	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
UNLESS OTHERWISE SPECIFIED:							
DIMENSIONS ARE IN INCHES			SCALE				
TOLERANCES ON			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS & SHARP EDGES				
FRACTIONS ± 1/64			DECIMALS ± .005				
ANGLES ± 1/2°							

REQ. PER UNIT	MODEL	SECTION	ASS'Y. NO.	DATE
1	HFI-1			7-26-62

TYPE & TEMPER	HEAT TREAT. SPEC.	FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	SHEET	OF
					2	