



CA-767

REVISIONS					
SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD APPD
A	REDRAWN & REVISED				
0	ORIGINAL RELEASE FOR PRODUCTION	4-24-64		SRG	

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
	10	LA-101-15 THRU 20	WIRE MARKERS	
	9	BS-100	SOLDER, SOFT	
	8	CD-101-1-MW	CORD LACING	BLACK
6	7	TE-120-2	LUG, SPADE	
	6	MWC 20(7) B6	CABLE, INSULATED, FIBERGLASS	BLUE
	5			RED
	4			WH/RED
	3			WH/BLK
	2			ORANGE
	1	MWC 20(7) B 96	CABLE, INSULATED, FIBERGLASS	WH/BLUE

THIS SYMBOL DENOTES END OF INSULATION & NAIL DRIVING POINT. WIRE MUST BE STRIPPED 3/4" BEYOND THIS POINT & TINNED 1/2" UNLESS OTHERWISE SPECIFIED.

~SYMBOL NOTES~

- DENOTES ITEM NOS.
- DENOTES LUGS
- DENOTES TAGS

WIRES SHOULD BE PLACED IN CABLE IN NUMERICAL SEQUENCE AS THEY APPEAR IN ITEM COLUMN. SPACE LACING APPROX. 3/4" APART.

**NOTES**

1	GPT-200K	AR-140
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE	CODE	
	A	
THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.		

F. BUDETTI				LIST OF MATERIAL	
MATERIAL		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
FINISH		TITLE CABLE ASS'Y., PLATE OVLID RELAY JUMPER (RELAY A)			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		DRAWN W.A. FRANCO	DATE 4-23-63	FINAL APPROVAL RAC	
		CHECKED W.F.	DATE 2-7-64		
		ELECT. DES. D.B.	DATE 10-27-64	CA-767	
		MECH. DES. J.D.	DATE 2-7-64	SHEET	
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		FRACTIONS ± 1/64 ANGLES ± 0° 30'		REV. LTR. 0	