


CA-768

REVISIONS

SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
A	REDRAWN & REVISED					
0	ORIGINAL RELEASE FOR PRODUCTION	4-27-64		SRG		


THIS SYMBOL DENOTES END OF INSULATION & NAIL DRIVING POINT. WIRE MUST BE STRIPPED 3/4" BEYOND THIS POINT & TINNED 1/2" UNLESS OTHERWISE SPECIFIED.



~SYMBOL NOTES~

- DENOTES ITEM NOS.
- DENOTES LUGS
- DENOTES TAGS

WIRES SHOULD BE PLACED IN CABLE IN NUMERICAL SEQUENCE AS THEY APPEAR IN ITEM COLUMN. SPACE LACING APPROX. 3/4" APART.



NOTES

1	GPT-200K	AR-149
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE	CODE	
	A	
THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.		

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
	10	LA-101-15 THRU 20	WIRE MARKERS	
	9	BS-100	SOLDER, SOFT	
	8	CD-101-1-MW	CORD LACING	BLACK
6	7	TE-120-2	LUG, SPADE	
	6	MWC 20 (7) B97	CABLE, INSULATED, FIBERGLASS	WH/VIO
	5	↑ 94	↑	WH/YEL
	4	↑ 6	↑	BLUE
	3	↑ 1	↑	BROWN
	2	↓ 4	↓	YELLOW
	1	MWC 20 (7) B93	CABLE, INSULATED, FIBERGLASS	WH/ORN

F. BUDETTI

LIST OF MATERIAL

MATERIAL		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
FINISH		TITLE CABLE ASS'Y, PLATE OVL'D RELAY JUMPER (RELAY B)			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		DRAWN W.A. FRANCO	DATE 4-23-63	FINAL APPROVAL RDL	
		CHECKED QA	DATE		
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		ELECT. DES. J.B.	DATE 2/15/64	CA-768	
FRACTIONS ± 1/64 ANGLES ± 0° 30'		MECH. DES. J.D.	DATE 2-7-64	SHEET	REV. LTR. 0