


REVISIONS						
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD APPD
	X	EXPERIMENTAL, RELEASE	5-14-64	4	G.D.L.	
	XI	NOTES CLARIFIED.	6-1-64	4	G.D.L.	
	Ø	ORIGINAL RELEASE FOR PRODUCTION	9-18-64	Ø	J.L.	
	A	WIRE MARKERS ADDED TO ALL BREAKOUTS.	4-9-65	13865	J.L.	J.L.
	B	REVISED & UPDATED	6-21-67	18285	L.A.K.	OP



NOTE: STRIP LEADS TO CONNECTOR, 7 AND 174 LONG.

THE ABOVE SYMBOL DENOTES END OF SHIELD, WHICH SHOULD BE TERMINATED AS SHOWN, LEAVING EXCESS SHIELDING AS A PIGTAIL. TIN PIGTAIL 1/4 INCH.

WIRES SHOULD BE PLACED IN CABLE IN NUMERICAL SEQUENCE AS THEY APPEAR IN ITEM COLUMN. SPACE LACING APPROXIMATELY 3/4" APART.

NOTES

SYMBOL NOTES

- DENOTES ITEM Nos.
- ◻ DENOTES CONNECTOR
- ◻ DENOTES BREAKOUT POINT
- ◻ DENOTES WIRE MARKERS

J1303  
J1307  
J1302  
J1313  
J1304  
J1309  
J1310

FROM	TO	REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
		X	13	BS 100	SOLDER, SOFT	
		X	12	CD 101-1MW	CORD, LACING	
		X	11	LA 101	MARKERS, WIRE	
		7	10	JJ 172	CONNECTOR, RECEPTACLE	
1	4		9	RG 174/U	J1301	R1326, R1329
1	6		8	RG 174/U	T1203	J1312
2	6		7	RG 174/U	R1304 & C1303	J1303
1	7		6	RG 174/U	XV1304 PIN 2	J1307
4	7		5	RG 174/U	R1328 & 29	J1302
4	8		4	RG 174/U	R1326 & 1329	J1313
5	8		3	RG 174/U	C1303	J1304
3	9		2	RG 174/U	R1318 & C1311	J1309
1	9		1	RG 174/U	J1311	J1310

ANGER LIST OF MATERIAL

MATERIAL: \_\_\_\_\_

FINISH: \_\_\_\_\_

THE TECHNICAL MATERIEL CORP.  
MAMARONECK, NEW YORK

TITLE: WIRING HARNESS, BRANCHED  
HFR-2 CABLE COAXIAL

DRAWN: GDL	DATE: 5-14-64	FINAL APPROVAL: [Signature]	DATE: [Blank]
CHECKED: @	DATE: 4-16-64		
ELECT. DES. [Signature]	DATE: 7/23/64		
MECH. DES. [Signature]	DATE: [Blank]		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS: .X ± .05, .XX ± .01, .XXX ± .005

FRACTIONS: ± 1/64

ANGLES: ± 0° 30'

TOLERANCES: ± 1/64, ± 0° 30'

SCALE: 1:1

MODEL USED ON: HFR-2

ASS'Y. NO.:

QTY./UNIT:

CA896 B