




REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	X	EXP. RELEASE	2-6-69		GE	
	Ø	ORIG. RELEASE FOR PROD	2-12-69	Ø	RG	



 THIS SYMBOL DENOTES END OF INSULATION AND NAIL DRIVING POINT. WIRE MUST BE STRIPPED 3/4" BEYOND THIS POINT AND TINNED 1/2" UNLESS OTHERWISE SPECIFIED.

○ DENOTES ITEM No.
 ⬡ DENOTES SPADE LUG

USE AS APPLIES
 WIRES SHOULD BE PLACED IN CABLE IN NUMERICAL SEQUENCE AS THEY APPEAR IN ITEM COLUMN BY CATEGORY.
 1. ALL RF CABLES 2. ALL SHIELDED CABLES 3. ALL OTHERS. SPACE LACING APPROXIMATELY 3/4" APART.



REQ'D	ITEM	PART NUMBER	FROM	DESCRIPTION	TO	SYM.
X	13	CD101-1-MW		LACING CORD		
11	12	TE120-2		LUG SPADE		
1	11	EY102-5		GROMMET		
5	10	PX100-1.234		TUBING INS		
11 7/8"	9	MWC22(7)U92		EI-PIN 9	XK2 PIN 6	
12 5/8"	8		2	8	1	
11 5/8"	7		1	7	7	
12 1/4"	6		4	6	XK2 PIN 2	
13 5/8"	5		93	5	XK1 PIN 5	
12 1/4"	4		3	4	2	
11 1/2"	3		6	3	3	
11"	2		91	2	4	
11 5/8"	1	MWC22(7)U0		EI-PIN 1	XK1-PIN 1	

A. MARTINEGGI LIST OF MATERIAL

FINAL APPROVAL	DATE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
MECH. DES.	DATE				
ELECT. DES.	DATE	WIRING HARNESS BRANCHED			
CHECKED	DATE				
DRAWN	DATE	SIZE	CODE IDENT. NO.	DWG NO.	ISSUE
		B	82679	CA 940	Ø
SCALE 1:1		SHEET		OF	

QTY / UNIT	MODEL USED ON	ASS'Y NO.
	AX 515	
APPLICATION		
CODE		
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		
FINISH		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS	FRACTIONS
.X ± .05	1/64
.XX ± .01	TOLS. ANGLES
.XXX ± .005	0° - 30'