


W	TMC PART NO.	G.E. PT. NO.	SPRAGUE PT. NO.	CAP. UF	CAP. TOL.	D.C. WORKING VOLTAGE	L (LENGTH)	D (OUTER DIA.)	A LEAD LENGTH	B CATH. WIRE	C ANODE WIRE
CE-107	CE-107-1	62F405		50	+50% -15%	60V	.875	.225	$2 \pm \frac{3}{8}$	24AWG	24AWG
	CE-107-2			6	±20%	100V	.562	.212	$1\frac{1}{2} \pm \frac{1}{4}$.025D.	.025D.
	CE-107-3	62F103		6	-15% +75%	25V	.312	.115	$2 \pm \frac{3}{8}$	24AWG.	24AWG
	CE-107-4	62F104		5	-15% +50%	30V	.312	.115	$2 \pm \frac{3}{8}$	24AWG	24AWG
	CE-107-5	62F204		10	-15% +75%	25V	.438	.115	$2 \pm \frac{3}{8}$	24AWG.	24AWG
	CE-107-6	62F305		25	-15% +50%	50V	.656	.145	$2 \pm \frac{3}{8}$	24AWG.	24AWG.
	CE-107-7		150D685 X0100A2	6.8	±20%	100V	.686	.289	$1\frac{1}{2} \pm \frac{1}{4}$	24AWG.	24AWG



LEADS - SOLDER COATED NICKEL
SLEEVE - MYLAR

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:

THE TECHNICAL MATERIEL CORPORATION
MAMARONECK, NEW YORK

E	CHG. COLUMN TO SPRAGUE, ADD. CE-107-7	6-7-71	20376	RZ	CW.	6/29
D	CATHODE WIRE WAS "27AWG", ANODE WIRE WAS "28AWG"	3-8-63	8420	RC	JK	8/2
C	CE-107-3 TO 6 ADDED	11-13-62	7662	GH	JK	8/2
B	LEAD LGTH., CATH. & ANODE WIRE CHARTS ADDED	9-				
	LEAD LENGTH WAS $2 \pm \frac{3}{8}$.212 WAS .218 ("D"); .562 WAS .531 ("L")	29-61	5654	GG	JK	8/2
SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES ON FRACTIONS ± 1/64 DECIMALS ± .005 ANGLES ± 1/2°

SCALE:
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.
REMOVE ALL BURRS AND SHARP EDGES

REQ. PER UNIT	MODEL	SECTION	ASS'Y. NO.	DATE
				9-29-61
USED ON				

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		CAPACITOR, ELECTROLYTIC TANTALUM	
		GG	AB
		9-29-61	
		TYPE & TEMPER	HEAT TREAT. SPEC.
		DRAWN	CHECKER
		FINAL APPROVAL	
		FINISH & SPEC. NO.	ELEC. DES. APP. MECH. DES. APP.
		CE-107	E