

USED ON		MODEL	ASSY. NO.	DATE
REQ. PER UNIT	MIXER			

BAND	OSCILLATOR	MIXER	R.F.	ANTENNA
8	LOW END	16.0 Mc	16.0 Mc	16.0 Mc
	HIGH END	31.0 Mc	31.0 Mc	31.0 Mc
7	LOW END	8.0 Mc	8.5 Mc	8.5 Mc
	HIGH END	16.0 Mc	16.0 Mc	16.0 Mc
6	LOW END	4.0 Mc	4.25 Mc	4.25 Mc
	HIGH END	8.0 Mc	8.0 Mc	8.0 Mc
5	LOW END	2.0 Mc	2.1 Mc	2.1 Mc
	HIGH END	4.0 Mc	4.0 Mc	4.0 Mc
3M	LOW END	185 Kc	185 Kc	185 Kc
	HIGH END	215 Kc	215 Kc	215 Kc

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
		R.F. and HFO ALIGNMENT CHART	
		MODEL FFR RECEIVER--INSTRUCTION MANUAL	
		P.I.K.	G.T.O
		DRAWN	G.T.O
		CHECKED	G.T.O
		HEAT TREAT. SPEC.	
		MATERIAL	
		FINISH & SPEC. NO.	
		ELEC. DES. APP.	
		MECH. DES. APP.	
		FINAL APPROVAL	

ISSUE ITEM: 2 BAND 3M ADDED, 1 RETYPED

CHANGED FROM: 5/25/51

DATE: 5/25/51

CH. NO. 2

DRAFTS: 2

CHECKER: W.C. G.T.O

ENGINEER: G.T.O

SCALE:

TOLERANCES: MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

DEC. DIM. ±

FRAC. DIM. ±

ANGULAR DIM. ±

CH - 103 B