

REVISIONS					
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.	APPD
		ORIGINAL RELEASE FOR PRODUCTION	10-8-64		G.D.L.

FREQUENCY RANGES

FREQUENCY RANGES ARE DIVIDED INTO FIVE GROUPS BETWEEN 1.6 AND 32 MEGACYCLES. THESE RANGES ARE:


- *1.6 - 2 MC
- 2 - 4 MC
- 4 - 8 MC
- 8 - 16 MC
- 16 - 32 MC

THE ABOVE RANGES SHOULD BE USED IN THE SPECIFICATIONS FOR CONVERTER MODULES.

UNIT IS NORMALLY SUPPLIED WITH STANDARD CRYSTALS. IF CONFORMANCE TO THE RIGID STANDARDS RECOMMENDED BY THE GENEVA CONVENTION IS DESIRED, OVEN CRYSTALS CAN BE PROVIDED. PLEASE INDICATE YOUR CHOICE.

OVEN CONTROL YES
NO

*USB operation only



The Technical Materiel Corporation Model TTR-10.

CABINET INFORMATION

- (CHECK ONE)
- RELAY RACK MTG WITHOUT SLIDES
 - RELAY RACK MTG WITH SLIDES
 - CABINET MTG
 - CABINET MTG (VEHICULAR INSTALLATION)

POWER SUPPLY

- 115V AC SINGLE PHASE
- 208V AC SINGLE PHASE
- 230V AC SINGLE PHASE
- 12V DC
- 24V DC
- 32V DC
- OTHER DC SUPPLIES AVAILABLE ON REQUEST.

MICROPHONE (HAND SET)

- CARBON
- DYNAMIC

RECEIVER CONVERTER MODULE CHANNEL 1	RECEIVER CONVERTER MODULE CHANNEL 2	RECEIVER CONVERTER MODULE CHANNEL 3	RECEIVER CONVERTER MODULE CHANNEL 4	TRANSMITTER EXCITER MODULE CHANNEL 1	TRANSMITTER EXCITER MODULE CHANNEL 2	TRANSMITTER EXCITER MODULE CHANNEL 3	TRANSMITTER EXCITER MODULE CHANNEL 4
SPECIFICATION							
FREQ. RANGE IN MCS <input type="checkbox"/> TO <input type="checkbox"/>	FREQ. RANGE IN MCS <input type="checkbox"/> TO <input type="checkbox"/>	FREQ. RANGE IN MCS <input type="checkbox"/> TO <input type="checkbox"/>	FREQ. RANGE IN MCS <input type="checkbox"/> TO <input type="checkbox"/>	FREQ. RANGE IN MCS <input type="checkbox"/> TO <input type="checkbox"/>	FREQ. RANGE IN MCS <input type="checkbox"/> TO <input type="checkbox"/>	FREQ. RANGE IN MCS <input type="checkbox"/> TO <input type="checkbox"/>	FREQ. RANGE IN MCS <input type="checkbox"/> TO <input type="checkbox"/>
OPER. FREQ. IN MCS F1 <input type="checkbox"/>	OPER. FREQ. IN MCS F1 <input type="checkbox"/>	OPER. FREQ. IN MCS F1 <input type="checkbox"/>	OPER. FREQ. IN MCS F1 <input type="checkbox"/>	OPER. FREQ. IN MCS F1 <input type="checkbox"/>	OPER. FREQ. IN MCS F1 <input type="checkbox"/>	OPER. FREQ. IN MCS F1 <input type="checkbox"/>	OPER. FREQ. IN MCS F1 <input type="checkbox"/>
MCS F2 <input type="checkbox"/>	MCS F2 <input type="checkbox"/>	MCS F2 <input type="checkbox"/>	MCS F2 <input type="checkbox"/>	MCS F2 <input type="checkbox"/>	MCS F2 <input type="checkbox"/>	MCS F2 <input type="checkbox"/>	MCS F2 <input type="checkbox"/>
OR	OR	OR	OR	OR	OR	OR	OR
BLANK PANEL <input type="checkbox"/>	BLANK PANEL <input type="checkbox"/>	BLANK PANEL <input type="checkbox"/>	BLANK PANEL <input type="checkbox"/>	BLANK PANEL <input type="checkbox"/>	BLANK PANEL <input type="checkbox"/>	BLANK PANEL <input type="checkbox"/>	BLANK PANEL <input type="checkbox"/>

NOTES

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
T. AALTONEN LIST OF MATERIAL				
MATERIAL			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH			TITLE	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES			CHART, SYSTEM IDENT. TTR-10 SYSTEM	
DECIMALS	TOLERANCES		DRAWN G.D.L. DATE 10-8-64	
.X ± .05	FRACTIONS ± 1/64		CHECKED @ DATE 10-8-64	
.XX ± .01	ANGLES ± 0° 30'		ELECT. DES. JKA DATE 10/9/64	
.XXX ± .005			MECH. DES. Gabil DATE 10-8-64	
			FINAL APPROVAL RJC DATE 10-8-64	
			SHEET CH268	
			REV. LTR.	

CH 268