


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES.

DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
Ø		REL TO PROD	MAR 12/60		AP		
A		REV AS PER CEMN	MAR 14/60	458	AP		
B		REV AS PER CEMN	9 APR 60	465	B		
C			23 SEP 60		B		
D		REV AS PER CEMN	OCT 3/60	575	AP		
E		REV AS PER CEMN	24 APR 1970	768	AP		
F		CRI WAS IN 456 A	10-14 75	21303	G.DL	A	Ch.



CK10745 E

UNLESS OTHERWISE STATED:-  
 RESISTANCE IN OHMS ± 2%, 1/4 WATT  
 CAPACITANCE IN nF  
 INDUCTANCE IN nH  
 ALL COMPONENTS ARE 500 SERIES

TOLERANCES		SCALE
RES. DIM.	X1.05	DRILL, PUNCH, COMMERCIAL STOCK
FRAC. DIM.	XX.01	SIZES AND MANUFACTURERS
ANGULAR DIM.	XXX.055	TOLERANCES ARE NOT INCLUDED.

MTR100(CAN-1)		29 JAN 60	
MODEL	PROJECT NO.	ASSY. NO.	DATE
USED ON			

STOCK SIZE		TMC (Canada) LIMITED OTTAWA ONTARIO	
MATERIAL		SCHEMATIC	
WEIGHT PER PC		PRE-AMPLIFIER (5021/P)	
TYPE & TEMPER		SIMPSON DRAWN	KA 14 ELIC. DES. APP.
HEAT TREAT SPEC		FINAL APPROVAL	
CHECKED		CK10745 F	
FINISH & SPEC. NO.			