


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
------	------	----------	-------------	--------

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
X		ENG. RELEASE	16 MAR 71		NAT.	[Signature]	NAT.
XI		C7 WAS 33pF C8 WAS 5pF	23 APR. 71		NAT.	[Signature]	



CK10814 X₁

NOTES

- UNLESS OTHERWISE SPECIFIED
1. RESISTANCE IN OHMS
 2. CAPACITANCE IN MICROFARADS

SYMBOLS NOT USED
 C1, C2, C3, C4, C5, C6
 CR1
 R1, R2, R3, R4

TOLERANCES		SCALE:
ALL	DEC. DIM. ± .05	DRILL, PUNCH, COMMERCIAL STOCK
OTHERS	FRAC. DIM. ± 1/64 .XX*.01	SIZES AND MANUFACTURERS
	ANGULAR DIM. ± 0° 30' .XXX*.005	TOLERANCES ARE NOT INCLUDED.

MODEL	PROJECT NO.	ASSY. NO.	DATE
	C11164	A10945-6	17 MAR 71
USED ON			

STOCK SIZE		TMC (Canada) LIMITED OTTAWA ONTARIO	
MATERIAL			
WEIGHT PER PC.		SCHEMATIC DIAGRAM	
TYPE & TEMPER.		MONITOR BOARD	
DRAWN		THOMAS	
ELEC. DES. APP.		[Signature]	
MECH. DES. APP.			
HEAT TREAT. SPEC.		CHECKED	
FINISH & SPEC. NO.		FINAL APPROVAL	
		CK10814 X ₁	