


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED					
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.							
ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
0		PROD. RELEASE	21 NOV 73			JMM	

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
------	------	----------	-------------	--------



CK250047 \emptyset

NOTES: ~
 1. UNLESS OTHERWISE SPECIFIED;
 RESISTANCE IN OHMS, 1/4 WATT
 CAPACITANCE IN MICROFARADS

LAST SYMBOL USED	W/USED SYMBOLS
A2, Q40, CR2, Q33	C37-C40, C36, C14
R43, T2, TH2	Q5-Q30, R29

TOLERANCES		SCALE:
ALL OTHERS	DEC. DIM. $\pm .05$ FRAC. DIM. $\pm \frac{1}{64}$ ANGULAR DIM. $\pm 0^{\circ} 30'$	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.

TTTG-1	151/73	A 250047	21 AUG 73
MODEL	PROJECT NO.	ASSY. NO.	DATE

STOCK SIZE		TMC (Canada) LIMITED OTTAWA ONTARIO	
MATERIAL		SCHEMATIC DIAGRAM	
WEIGHT PER PC.		TTTG-1 P.C.B.	
TYPE & TEMPER		JMM	
HEAT TREAT. SPEC.		CHECKED	FINAL APPROVAL
FINISH & SPEC. NO.		CK250047 \emptyset	