


REVISIONS							
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
		ORIGINAL RELEASE FOR PRODUCTION	5/18/66			WHO	



- NOTES:**
- 1- SEE CK1094 FOR PIN LOCATIONS FOR LEAD TERMINATIONS & LAMP WIRING SWITCH CONNECTIONS.
 - 2- ALL LEADS TO BE BROUGHT TO REAR OF SWITCH SW416 & CONNECTED TO RESPECTIVE PINS.
 - 3- FOR ADDITIONAL LAMP WIRING SWITCH CONNECTIONS ON REAR OF SWITCH SW416, SEE LEADWIRE JUMPER & BUSSWIRE JUMPER CHARTS BELOW.
 - 4- ALL LEADWIRE TO BE TYPE LWC 26(7) --.
 - 5- BUSSWIRE JUMPERS TO BE #26 AWG (WL100-9).

FROM		TO		LEAD COLOR
ROW	POS.	ROW	POS.	
1	6	1	12	WHT
1	7	1	9	WHT/YEL
1	8	1	10	WHT/GRN
1	10	1	11	WHT/GRN
1	8	5	10	WHT/BLU

LOCATION	CONNECTION		
ROW	POS.	PIN N°	PIN N°
1	8	4	6
1	10	4	6
1	12	4	6

NOTES

RTPH-1	
QTY/UNIT	MODEL USED ON
SCALE	CODE
ASBY. NO.	

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
F. E. EATON LIST OF MATERIAL				
MATERIAL		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
FINISH		TITLE		
		DIAGRAM, WIRING - LAMP, SWITCH PUSHBUTTON		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		DRAWN J. LESHINSKI CHECKED [Signature] ELECT. DES. [Signature] MECH. DES. [Signature]	DATE 5/18/66 DATE 5/18/66 DATE 5/18/66	FINAL APPROVAL [Signature] DATE 5/18/66 CK1123
DECIMALS .X ± .08 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	SHEET 1	REV. LTR.

CK1123