


REVISIONS							
E.M.N.NO	DRAFT	CHKD	ZONE	LTR	DESCRIPTION	DATE	APPROVED
				X	EXP. RELEASE	1/2/69	
				B	ORIGINAL RELEASE FOR PRODUCTION	8/25/69	
19599	KD	LL		A	REVISED NOTES & SYMBOL NOMENCLATURE	9/22/69	
19623	KD			B	ADDED CR4 + CHANGED C18	10/28/69	
19926	KL	W		C	LAST SYM WAS CR3 & FUNCTIONS ADD	7/21/70	OPD
20001	KL	W		D	SIGNAL FLOW LINES ADD.	8/17/70	OPD
20080	RZ	W		E	CHG. HEATZ. TO CPS & 'INPUT=20' TO 'OUTPUT'	11/31/70	P.E.B.



- UNLESS OTHERWISE SPECIFIED:
1. ALL RESISTANCE VALUES ARE IN OHMS, 1/4 WATT
 2. ALL WHOLE NUMBER CAPACITANCE VALUES ARE IN PICOFARADS
ALL DECIMAL NUMBER CAPACITANCE VALUES ARE IN MICROFARADS
 3. ALL INDUCTANCE VALUES ARE IN MICROHENRIES.

LAST SYMBOL	MISSING SYMBOL
C33	
CR4	
Z6	
L8	
Q7	
R27	
TP7	
VR1	

63 Fig 5-11 64 Fig 5-12

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
LIST OF MATERIAL				
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
DIAGRAM SCHEMATIC				
COUNTER-INPUT-STD. MODULE				
SIZE	CODE IDENT NO.	DWG NO.	ISSUE	
D	82679	CK 1341	E	
SCALE NONE			SHEET OF	

QTY / UNIT	MODEL USED ON	ASS'Y NO.
	HFRR-4	A4658
APPLICATION		
CODE		
MATERIAL		
FINISH		

NOTICE TO PERSONS RECEIVING THIS DRAWING
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown herein without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.