


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD
X		EXP. RELEASE	8-28-79		ENJ	
X1		See Sheet 1	8-15-79		SD	
X2		T302 was 60Hz, J301 was J302 (routing)	8-15-79		OLL	
		ORIGINAL RELEASE FOR PRODUCTION	8-28-79			FB

300 SERIES	
LAST SYMBOL	MISSING SYMBOL
B301	B300
C342	C300, 303, 335
CR307	CR300
DS301	DS300
E313	E300, 312
F307	F300
K309	K300
L309	L300, L302
M302	M300
R350	R349, 300, 325
S305	S300
T304	T300
V309	V300
J302	J300
TB302	TB300, 301
Z301	Z300

- UNLESS OTHERWISE SPECIFIED:
1. ALL RESISTORS ARE IN OHMS.
 2. ALL CAPACITORS ARE IN MICROFARADS.
 3. ALL INDUCTANCE VALUES ARE IN MICROHENRIES

FUSE NOTES:



POS	FUNCTION
1	PI MA V100 X 2
2	PI MA V100 X 2.5
3	PI MA V100 X 2.5
4	TOTAL PI MA

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
F BUDETTI LIST OF MATERIAL SK3290 CK683				
FINAL APPROVAL			DATE	
MECH. DES.			DATE	
ELECT. DES.			DATE	
CHECKED			DATE	
DRAWN			DATE	
MATERIAL				
FINISH				
SIZE	CODE IDENT. NO.	DWG. NO.	ISSUE	
D	82679	CK 2217	2 OF 2	

I	MFTA-10K/J	AX5245
QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION		
CODE		
NOTICE TO PERSONS RECEIVING THIS DRAWING		
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON
 DECIMALS .X ± .05
 .XX ± .01
 .XXX ± .005
 FRACTIONS ± 1/64 ANGLES ± 0°-30'

FROM SHEET 1 OF 2