


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
A		F1 & F2 RELOCATED	5-30-89			G.D.L.



230VAC	F102-.25	0.25 AMP
115 VAC	F102-.50	0.50 AMP
POWER INPUT	F1/F2 P/N	F1/F2 RATING

NOTE :
 FOR 230V OPERATION, T1 PRIMARY MUST BE CONNECTED IN SERIES (ONLY TERMINALS 2 & 3 CONNECTED TOGETHER) 230 VAC APPLIED TO TERMINALS 1 & 4 -

QTY / UNIT	MODEL USED ON	ASS'Y NO.
	AMC-8 (2x4)	
APPLICATION		
	CODE	

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON
 DECIMALS .X ± .05
 .XX ± .01
 .XXX ± .005
 FRACTIONS ± 1/64
 ANGLES ± 0° -30'

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
LIST OF MATERIAL				
FINAL APPROVAL		DATE	THE TECHNICAL MATERIEL CORP.	
MECH. DES.		DATE	MAMARONECK, NEW YORK	
ELECT. DES.		DATE	SCHEMATIC DIAGRAM	
CHECKED		DATE	AMC-8 (2x4) 50 & 75 Ω	
DRAWN		DATE		
MATERIAL		SIZE	CODE IDENT. NO.	DWG NO.
FINISH		C	82679	CK 2286
		SCALE	SHEET 1 OF 2	