


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
 THE TECHNICAL MATERIEL CORPORATION
 MAMARONECK, NEW YORK



AUDIO TONE SELECTOR S 502

POSITION	FUNCTION
1	OFF
2	TONE 1
3	TONE 2
4	TWO TONE

RF TONE SELECTOR S 501

POSITION	FUNCTION
1	OFF
2	TONE 1
3	TONE 2
4	TWO TONE

POWER SWITCH S 500

POSITION	FUNCTION
1	AC OFF
2	AC ON

NOTES:


1. ALL CAPACITORS ARE IN MICROFARADS, UNLESS OTHERWISE SPECIFIED.
2. ALL RESISTORS ARE 1/2 WATT, " " " "
3. ALL COILS ARE IN MICROHENRIES " " " "
4. ALL SWITCHES SHOWN IN POSITION * 1

LAST SYMBOLS

- C 530
- E 500
- F 501
- I 502
- J 501
- L 506
- P 501
- R 544
- S 502
- T 504
- V 506
- W 500
- Y 501
- Z 503

MISSING SYMBOLS

- C512, C513



NOTE - FOR 220 VAC OPERATION CHANGE F500 TO 1A.

B	T501 + T502 Term. Reloc. R514, R515 was 1/2 1W	8-20-59	1195	DM	PLB	AM	
A	C512, C513 DELETED (TYPO. ERROR)	3/17/59		JC	PLB	AM	
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
TOLERANCES		SCALE:					
ALL OTHERS	DEC. DIM. ±	DRILL PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.					
	FRAC. DIM. ±						
	ANGULAR DIM. ±						

REQ. PER UNIT	TTG	T/O GPT-11K	PROJECT NO.	ASSY. NO.	DATE
					3-10-59
USED ON					

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
STOCK SIZE	SCHEMATIC DIAGRAM		
MATERIAL	TEST GENERATOR		
TYPE & TEMPER	IORILLO	PLB	ELEC. DES. APP. MECH. DES. APP.
HEAT TREAT. SPEC.	PLB	AM	CHECKED FINAL APPROVAL
FINISH & SPEC. NO.	CK-394 B		

Reduce to 40%