


IF A FOUND DEFECTS TO CHANGE ANY TO RANGE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER IMMEDIATELY.
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.

* NOTE: WHEN NO LOAD IS CONNECTED ACROSS TERM 4 & 5 OR 6 & 5 OF E1, CONNECT JUMPER ACROSS TERM 1 & 3 OF E1 (DOTTED LINE)



REV	ITEM	CHANGED FROM	DATE	BY	CHKD	APP.
D	1	ON 32 F2: B WAS C, C WAS B.	3-19-60	13742	AP	
E	2	ON LAST BYM R10 WAS R69	3-21-60	12384	APB	
C	1	C31 WAS 150μF, R10 ADDED	5-25-60	6758	V.R.R.	
B	1	ON S1 REVERSED LETTERING FAST & SLOW	5-21-60	4495	C.U.	
A	1	E4 WAS ADDED	8-2-60		CY	
		P3 ADDED TO PWR				

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
 THE TECHNICAL MATERIEL CORPORATION
 MAMARONECK, NEW YORK

NOTE - FOR OPERATION OTHER THAN 115 V. REMOVE SWITCH LEAD FROM TERMINAL 2B AND CONNECT TO PROPER TERMINAL. CHANGE F1 TO 1 1/2 AMPS. WHEN USING 210 V OR 230 V.

MISSING SYMBOLS
 C21, 22, 42, 43
 R14, 27, 28, 29
 R43, 44, 68,
 J4, 5, 6
 P4, 5, 6
 E3
 S3

CK-456

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
///	///	THE TECHNICAL MATERIEL CORP.	
///	///	MAMARONECK, NEW YORK	
///	///	SCHEMATIC DIAGRAM	
///	///	MSR-6	
///	///	TYPE & TEMPER.	
///	///	HEAT TREAT. SPEC.	
///	///	FINISH & SPEC. NO.	

MSR-6	PROJECT NO.	DATE
		8-3-60