



LAST SYMBOLS  
 R941  
 C945  
 L915  
 CR906  
 Q906

NOTE: 1. ALL TRANSISTORS ARE TYPE 2N706  
 2. ALL RESISTORS ARE 1/2 W, EXCEPT AS NOTED  
 3. ALL CAPACITORS ARE IN PF EXCEPT AS NOTED  
 4. VALUES OF R910, 916, 922, 928, 934 TO BE DETERMINED IN TEST, THE FOLLOWING CHART IS AN AID FOR TESTING AND SHOULD BE USED FOR REFERENCE ONLY:

RESISTOR	TEST VALUE
R910	22K
R916	15K
R922	12K
R928	15K
R934	8.2K

4. C906-2, 913-2, 920-2, 927-2, 934-2 USED ONLY IF NECESSARY, TO BE DETERMINED IN TEST.

SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
A	ON PICT. NOTE 3 WAS NOTE 4 (SPL); NOTE 5 DELETED (SPL); NOTE 4 AND (SPL); AX527 WAS CB100 (SPL).	12-23-64	13124	92		
X2	ORIGINAL RELEASE FOR PRODUCTION	10-23-64		92		
X1	NOTES 4 & 5 ADDED VALUES UPDATED	10-22-64		92		
X1	C934(180) WAS (150)	4-8-64				
X	EXP. RELEASE	6-28-64		62		

QTY./UNIT	MODEL USED ON	ASBY. NO.
1	VLBB-1	A3681

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
GELLMAN M. LIST OF MATERIAL				
MATERIAL				
FINISH				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES				
THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.				
DRAWN GDL		DATE 10-23-64		FINAL APPROVAL
CHECKED		DATE 10-23-64		DATE
ELECT. DES.		DATE 10-23-64		DATE
MECH. DES.		DATE		DATE
TOLERANCES				CK 758
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005				ANGLES ± 0° 30'
SHEET				REV. LTR.