



CL-182

REQ. PER UNIT	M DEL	USED ON
1	RFD-1	ASST. NO.
	PAK-1K	DATE
		8-7-59



ELECT. SPEC.
 OPER. FREQ. - 22-32 MC
 L - MIN. LESS THAN
 L - MAX. MORE THAN
 Q - GREATER THAN 120
 F (TEST) - 25 MC
 MECH. SPEC.
 COIL FORM - PHENOLIC
 CORE - POWDERED IRON
 MOUNTING - 1/4-28 STUD
 WINDING - 3 TURNS OF #18 WIRE

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		COIL, RF, TUNED, 22-32 MC	
		MATERIAL	
		PI.	
		CHECKED	
		DRAWN	
		HEAT TREAT. SPEC.	
		FINISH & SPEC. NO.	
		ELEC. DES. APP.	
		MECH. DES. APP.	
		FINAL APPROVAL	
			CL-182

ISSUE ITEM

CHANGED FROM

TOLERANCES

DATE

CH. NO.

DRAFTS

CHECKER

ENG. APP.

SCALE:

NPL

1A-1740

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

DEC. DIM. ±

FRAC. DIM. ±

ANGULAR DIM. ±