



MODEL	REQ.	FUNCTION	OPER. FREQ.	SYMBOL	REQ. PER UNIT	MODEL	USED ON
CHG-1	1	2 ND R.F. Plate Transformer	15.75 - 33.75 MC	T1109	1	CHG-1	ASBY. NO. DATE R.F. SECT. 11-7-60
							CL-264 A

ELECTRICAL SPECIFICATIONS

L - .40 (.39 - .41) Microhenries
 Q - 170 or greater
 FREQ. (Test) - 25 Mcs
 OPER. FREQ. - 15.75 - 33.75 mc

MECHANICAL SPECIFICATIONS

TOTAL TURNS - 6-1/2
 TAP - 3 turns
 WIRE - No. 16 Buss
 TUNING SLUG - Powdered Iron
 FORM - Phenolic



REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		TRANSFORMER, R.F.	
		15.75 - 33.75 MC (T1109)	
J.C. Biele	ASBY	J.C. Biele	V. ANGER
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
FINISH & SPEC. NO.		FINAL APPROVAL	
		CL-264 A	

ISSUE ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
A	RELOCATED TERM. RINGS	6-10-66	6370	HAA	JCB	
TOLERANCES		SCALE:	NO NPL ZA-1519-3			
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES						
DEC. DIM. ±	FRAC. DIM. ±	ANGULAR DIM. ±				