

CM200

CHARACTERISTICS AVAILABLE

CODE	TEMP. COEF. PART/MILL °C	CAPACITANCE DRIFT (MAXIMUM)
E	-20 to +100	± (0.1% + 0.1 mmf)
F	0 to +70	± (0.05% + 0.1 mmf)
G	0 to -50	± (0.05% + 0.1 mmf)

MINIMUM CAPACITANCE AVAILABLE - 5 mmf  
 MAXIMUM CAPACITANCE AVAILABLE - 3300 mmf

ANY VALUE BETWEEN MINIMUM AND MAXIMUM CAPACITANCE SHOWN ABOVE MAY BE PURCHASED.


DC WORKING VOLTAGE - 500 V

TOLERANCE AVAILABLE

CODE	TOLERANCE
E	± 0.5%
F	± 1%
G	± 2%

Dots Will Not Be Colored.


No 20 ANG (.032 D)




REAR OF CAPACITOR WILL BE STAMPED WITH APPROPRIATE CAPACITANCE IN MMF, CHARACTERISTIC LETTER CODE, AND TOLERANCE, AS SHOWN

PURCHASING INFORMATION:

SANGAMO NUMBER TO BE AS FOLLOWS.



TYPE DESIGNATION TO BE IN THE FOLLOWING FORM:



CAPACITANCE WILL BE EXPRESSED EXACTLY AS REQUIRED. EXAMPLE:

- 500 mmf = 500
- 2500 mmf = 2500
- 10 mmf = 10
- 5 mmf = 5
- 10.5 mmf = 10R5

Use "R" for decimal point when required.

REFERENCE: SANGAMO CAPACITORS SERIES KR

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
CM20 CASE (Approv)		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
		CAPACITOR, FIXED, SILVERED MICA, PRECISION	
		16/10/58	CM200
		TYPE & TEMPER HEAT TREAT. SPEC.	FINAL APPROVAL
		FINISH & SPEC. NO.	ELEC. DES. APP. MECH. DES. APP.

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:  
 THE TECHNICAL MATERIEL CORPORATION  
 MAMARONECK, NEW YORK

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
TOLERANCES			SCALE:				
DEC. DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.				
FRAC. DIM. ±			REMOVE ALL BURRS AND SHARP EDGES				
ANGULAR DIM. ±							

REQ. PER UNIT	MODEL	PROJECT NO.	ASS'Y. NO.	DATE
USED ON				