



STANDARD DRAWING

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

TMC NO.	MFRS NO.	AT 60 CPS, 25°C ± 5°C		AC W.V. 60 CPS	A	B	C	D	RETAINING BRACKET REF
		CAP. UF	CAP. TOL%						
CP-113-1	200P1903TPI	4	±10	370	2 5/32	1 5/16	2 1/2	13/16	TMC NO. CU 143-1
CP-113-2	200P1904TPI	5	±10	370	2 5/32	1 5/16	2 7/8	13/16	TMC NO. A-3711
CP-113-3	200P1915TP-1	20	±10	370	3 21/32	1 31/32	4 1/2	13/16	TMC NO. CUI35-2

SPECIFICATIONS

- NO. OF CAP. SECTIONS: 1 (ONE)
- WORKING VOLTAGE: A. DC, NOT RATED
B. AC, SEE CHART
- CAPACITANCE: SEE CHART
- CAPACITANCE TOLERANCE: SEE CHART
- IMPREGNANT: "CLORINOL" (MFRS. TRADE NAME)
- CASE: A. TYPE: OVAL
B. MATERIAL: DRAWN STEEL (SEAMLESS)
C. HERMETICALLY SEALED
D. FINISH: PROTECTIVE FINISH, UNPAINTED.
- TERMINALS: A. TYPE: STANDARD UNIVERSAL
DOUBLE BLADE CUP TERMINAL
B. QUANTITY: 2 (TWO)
C. SHAPE: "U"
D. CONSTRUCTION: WELDED TERMINAL ASSEMBLY, WITH SILICONE GASKET AND MOLDED PHENOLIC INSULATING CUP.
E. FEATURES: LEAKPROOF
- SCHEMATIC: 
- RETAINING BRACKET NOT INCLUDED. SEE CHART FOR REFERENCE.
- TEMPERATURE RANGE: -30°C. TO +55°C.



SYM	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
D	CP113-3 ADDED	1-26-66	15604	SRG	OCB	OC
C	ON-1 MFG NO WAS 200P1416 'C' 2 VA ON-2 MFG NO WAS 200P1417. SPEC. # 6 REV.	11-9-65	15089	V.V.	OCB	OC
B	CP 113-2 ADDED TO CHART	9-2-64	12221	WTS	OCB	OC
A	C DIM. WAS 2-7/8, CASE FINISH WAS BLK ENAM. *11 DELETED, MFG NO. WAS 200P1236B2 TOL. ON 'D' WAS +1/16 - 3/16, *10 WAS +40°C	7-30-64	11435	SRG	OCB	OC
UNLESS OTHERWISE SPECIFIED:		CODE	S401-43			
DIMENSIONS ARE IN INCHES		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.				
TOLERANCES ON FRACTIONS ± 1/64 DECIMALS ± .005 ANGLES ± 1/2°		REMOVE ALL BURRS AND SHARP EDGES				

REQ. PER UNIT	MODEL	SECTION	ASS'Y. NO.	DATE
2	RAK-22		AX-390	12-12-62
1	RAK-21		AX-390	12-12-62
USED ON				

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		CAPACITOR, FIXED PAPER, DIELECTRIC	
		CRUY	
		TYPE & TEMPER	
		HEAT TREAT. SPEC.	
		DRAWN	
		CHECKED	
		FINISH & SPEC. NO.	
		ELEC. DES. APP.	
		MECH. DES. APP.	
		CP-113	D