

IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

WILL HOLD

1/4 A, 1/4 B, 1/4 C, 1/2 B, 1/2 C, 1/2 D BX
 1/2 A, 1/2 B, 1/2 C, 1/2 D BX LEADED
 5/16", 3/8" FLEX. CONDUIT

CU-110

A

USED ON

DATE

ASSY. NO.

PROJECT NO.

MODEL

REF: T & B #266

ISSUE ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS CHECKER	ENG. APP.
A	REF. WAS G.E. SP-5321	7/29/59		JDK	1/0
TOLERANCES					
SCALE					
DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.					
ALL OTHERS	DEC. DIM. \pm	FRAC. DIM. \pm	ANGULAR DIM. \pm		

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
		FITTING	
		CONDUIT (90°)	
		F.M. 7/6/53	
		DRAWN	ELEC. DES. APP.
		CHECKED	MECH. DES. APP.
		HEAT TREAT. SPEC.	FINAL APPROVAL
		FINISH & SPEC. NO.	CU-110
			A